


- Comparing Steel and Aluminum Garage Door Durability
 Comparing Steel and Aluminum Garage Door Durability Benefits of
 Composite Wood Garage Door Panels Understanding R Value Ratings for
 Energy Savings Factors That Influence Door Weight and Balance Selecting
 Wind Rated Doors for Coastal Regions Environmental Impact of Different
 Door Materials Noise Reduction Advantages of Insulated Doors Cost
 Analysis of Single Layer Versus Triple Layer Doors Evaluating Polyurethane
 Insulation for Thermal Efficiency Aesthetic Options in Carriage House Door
 Designs Protecting Metal Doors from Corrosion in Harsh Climates
 Recycling Old Garage Doors During Material Upgrades
- What to Expect from Same Day Garage Door Service
 What to Expect from Same Day Garage Door Service Preparing for After
 Hours Door Malfunctions Determining When a Door Issue Is an
 Emergency Understanding Emergency Service Fee Structures Safety
 Precautions During Nighttime Door Repairs Temporary Solutions While
 Waiting for Technicians Managing Power Outages with Manual Door
 Release How Weather Conditions Affect Emergency Response
 Communicating Door Status in Property Management Insurance
 Considerations for Urgent Door Repairs Coordinating Access for
 Emergency Repair Vehicles Post Repair Checks Following Late Night

Service


o About Us



What to Expect from Same Day Garage Door Service


Okay, so your garage door's acting up. Maybe it's making a racket that could wake the dead, or it's stubbornly refusing to open, leaving your car trapped inside. Whatever the issue, you're probably thinking, "I need this fixed, and I need it fixed now!" Thats where same day garage door service comes in. But what exactly can you expect when you call someone promising a quick fix? Let's break it down.

First off, the biggest thing youre expecting – and rightly so – is speed. Same day service implies a rapid response. Youre not looking to wait days or even weeks for an appointment. You want someone there pronto, ideally within a few hours of your call. Of course, this depends on the company's availability, the time of day, and their service area. Don't be afraid to ask for an estimated arrival time when you call.




Now, beyond the speed, youre expecting a qualified technician. Someone who knows their way around garage door springs, cables, openers, and everything in between. They should be able to quickly diagnose the problem, explain it to you in plain English (not technical jargon), and offer a solution. A good technician will also be equipped with the necessary tools and parts to get the job done on the spot. They shouldnt need to run

back to the shop for every little thing.



Another crucial expectation is honesty and transparency. Before any work begins, you should receive a clear and upfront estimate of the cost. No hidden fees or surprise charges later on. The technician should explain the different repair options available and let you choose the one that best fits your budget and needs. A reputable company will stand behind their work and offer a warranty on parts and labor.



However, its also important to be realistic. While same day service is convenient, it might come with a slightly higher price tag compared to scheduling an appointment further out. Think of it like express shipping – you pay a premium for the faster delivery. Also, while the technician will likely have a good selection of common parts on hand, extremely rare or specialized components might require ordering, potentially delaying the repair.

Finally, remember to do your homework. Dont just pick the first company you see on Google. Check online reviews, ask for referrals, and make sure the company is licensed and insured. A little research can save you a lot of headaches (and money) in the long run.

In a nutshell, same day garage door service offers a quick and convenient solution to your garage door woes. Expect speed, expertise, transparency, and a clear explanation of the problem and the proposed fix. Be prepared for a potentially higher cost and the possibility of slight delays for specialized parts. And, most importantly, choose a reputable company you can trust. That way, you can get your garage door back in working order and get on with your day.

Comparing Steel and Aluminum Garage Door Durability

About Garage door opener

A garage door opener is a mechanized tool that opens up and closes a garage door managed by activate the garage wall. Many also consist of a portable radio remote control carried by the owner, which can be made use of to open up and shut the door from a short range.

.

About Lake County, Indiana

Not to be confused with Lake County, Illinois.

Lake County, Indiana

County

Former Lake County Courthouse in Crown Point, Indiana

Image not found or type unknown

Former Lake County Courthouse

in Crown Point, Indiana

Official seal of Lake County, Indiana

Image not found or type unknown

Seal

Location in the state of Indiana

Image not found or type unknown

Location in the state of Indiana

Indiana's location in the U.S.

Image not found or type unknown

Indiana's location in the U.S.

Country United States

State image indidnope unknown

Region Northwest Indiana

Chicago Metropolitan Metro area

October 1834[¹] Settled

February 16, 1837[²] **Established**

Lake Michigan Named after

County seat Crown Point

Hammond (population) **Largest city**

Gary (total area)

19 cities and towns

Cedar Lake (town)

Crown Point (city)

Dyer (town)

East Chicago (city)

Gary (city)

Griffith (town)

Hammond (city)

Highland (town)

Hobart (city)

Lake Station (city)

Lowell (town)

Merrillville (town)

Munster (town)

New Chicago (town)

Schererville (town)

Schneider (town)

St. John (town)

Whiting (city)

Winfield (town)

Government

[³]

• **Type** County

Incorporated

municipalities

• **Body** Board of Commissioners

• Commissioner Kyle W. Allen, Sr. (D, 1st)

• Commissioner Jerry J. Tippy (R, 2nd)

• Commissioner Michael C. Repay (D, 3rd)

Members

David Hamm (D, 1st)

Clorius Lay (D, 2nd)

• County Council Charlie Brown (D, 3rd)

Pete Lindemulder (R, 4th)

Christine Cid (D, 5th)

Ted F. Bilski (D, 6th)

Randy Niemeyer (R, 7th)

Area

• **County** 626.5 sq mi (1,623 km²)

• Land $498.9 \text{ sq mi } (1,292 \text{ km}^2)$

• **Water** 127.6 sq mi (330 km²)

• **Metro** 10,874 sq mi (28,160 km²)

• Rank 12th largest county in Indiana

• **Region** 2,726 sq mi (7,060 km²)

Dimensions

[4]

• **Length** 36 mi (58 km)

• **Width** 16 mi (26 km)

Elevation 663 ft (202 m) [⁵] (mean) **Highest elevation** 801 ft (244 m) [⁶]—NE Winfield Twp **Lowest elevation** 585 ft (178 m) [⁷]—at Lake Michigan **Population** (2020)County 498,700 Estimate 500,598 (2023)2nd largest county in Indiana 131st largest county in Rank u.s.[⁸] $800/\text{sq mi} (310/\text{km}^2)$ Density Metro 9,522,434 Region 819,537 UTC-6 (Central) Time zone • Summer (DST) UTC-5 (Central) 46303, 46307-08, 46311-12, 46319-25, 46327, 46341-42, 46355-56, 46373, 46375-77, 46394,

46401-11

219

ZIP Codes

Area code

Congressional district lst

Indiana Senate districts 1st, 2nd, 3rd and 6th

Indiana House of

1st, 2nd, 3rd, 11th, 12th, 14th, 15th and 19th

Representatives districts

FIPS code 18-089

GNIS feature ID 0450495

mage hotageu h

Interstates

mage not form of type with nown **U.S. Routes**

haage rotafge rotagety potagety put to find the protection of the second second

State Routes richt zige nicht zige plicht gigt sprecht auf obsprecht untsprechunk nown

Gary/Chicago International

Airports Griffith-Merrillville

Grand Calumet River

Indiana Harbor and Ship Canal

Waterways Kankakee River

Lake Michigan

Dyer - Hammond-Whiting **Amtrak stations**

Hammond Gateway – East Chicago

Adam Benjamin Metro Center **South Shore Line stations**

Gary/Chicago Airport - Miller

East Chicago Transit

Public transit Gary Public Transportation

Broadway Metro Express

Website www.lakecountyin.org

o Indiana county number 45

o Second most-populous county in Indiana

Lake County is a county located in the U.S. state of Indiana. In 2020, its population was 498,700,[⁹] making it Indiana's second-most populous county. The county seat is Crown Point.[¹⁰] The county is part of Northwest Indiana and the Chicago metropolitan area, and contains a mix of urban, suburban and rural areas. It is bordered on the north by Lake Michigan and contains a portion of the Indiana Dunes.[¹¹][¹²] It includes Marktown, Clayton Mark's planned worker community in East Chicago.[¹³]

History

[edit]

Early settlement

[edit]

Originally inhabited by the Potawatomi and generations of indigenous ancestors, Lake County was established by European Americans on February 16, 1837. [2] From 1832 to 1836 the area that was to become Lake County was part of La Porte County. [

¹⁴] From 1836 to 1837 it was part of Porter County. [¹⁴] It was named for its location on Lake Michigan. [¹⁵] The original county seat was Liverpool, but in 1840 Lake Court House, later renamed as Crown Point, was chosen. [¹⁶]

Lake County's population grew slowly before the 1850s. Construction of railroads to link Chicago to the rest of the country stimulated rapid development, and tens of thousands of settlers and immigrants bought land in the region. Small-scale industrialization began, but was primarily relegated to the northern coast of the county, where it could take advantage of the railroads along the coast and shipping on the Great Lakes. The 1900 Census gives a population of 37,892 residents.

Industrialization and immigration

[edit]

Inland Steel Company established a plant in East Chicago in 1903 and U.S. Steel founded one in Gary in 1906; with industrial jobs the demand for labor associated with industrial jobs, the county's population exploded. Immigrants poured into the area from all over Central and Eastern Europe (there was also a smaller Mexican immigrant community). In addition, both black and white migrants came from many regions of the United States, particularly Appalachia and the South. Mostly rural blacks went north in the Great Migration, seeking both industrial jobs and escape from Jim Crow violence and disenfranchisement in the South.

By 1930, Lake County's population surpassed 260,000, with first- and second-generation Americans constituting a majority of the population. The second wave of the Ku Klux Klan gained a large following here in the 1920s, as it did for a time in the rest of Indiana. The KKK organized against the numerous European immigrants, who were mostly Catholic. While the steel industry reigned supreme, other industries also found the county to be an ideal location for cheap land and well-developed transportation networks, such as automobiles, oil, chemicals, consumer goods, food processing, and construction supply companies. [¹⁷]

The Great Depression was devastating to Lake County, as it was to other areas with economies based on heavy industry. The Depression, combined with industrial strife, changing demographics, and unionization, caused a realignment of politics in Lake County. It became a stronghold of the Democratic Party; Lake County has supported the Democratic nominee for president in every election since 1932 (exceptions occurred in 1956 and 1972). Indiana's 1st congressional district has elected Democratic candidates in every election since 1930.

World War II restored prosperity, as industry revived to support the war effort. Good economic times continued into the 1970s. During this period, unions helped industrial workers gain middle-class wages. In addition to attracting refugees and immigrants from Europe, black Americans and Mexicans migrated here in the postwar period in even higher numbers than in the 1910–1930 period. As minority populations exploded in such industrial cities as East Chicago and Gary, racial tensions surfaced again. Following construction of state and federal highways, development of cheaper land provided newer housing to middle-class people who could afford it. Both whites and established black families moved out of the aging industrial cities. [17]

Recent history

[edit]

Lake County's population peaked at 546,000 in 1970. Severe industrial decline took place during the 1973–1991 period, brought on by foreign competition, new management philosophies that called for major workforce reductions, and productivity gains from technology. The decline was particularly intense in the steel industry: steel employment exceeded 60,000 in the 1960s, and declined progressively to just 18,000 by 2015. Lake County's population declined 13% to bottom out at 475,000 in 1990.

The industrial decline of the 1980s cast a long shadow over Lake County: the county did not regain the level of employment it had in 1980 until 1996, after which the employment level roughly flatlined. The county's economic output peaked in 1978, and has not since recovered, remaining 15–20% below the peak after adjusting for inflation. As prosperity declined, so did the immigration that powered the county's explosive population growth before 1950: per the 2000 census, only 5.3% of Lake County's residents were foreign-born, compared to over 11% for the United States as a whole. [¹⁸]

The population recovered somewhat during the 1990s and 2000s, as the local economy adjusted. Suburban growth has also been driven by commuter populations of workers who are employed in Chicago and commute via expressways or the South Shore Line. In 2007, it was estimated that 44,000 workers commuted from Lake County, Indiana, to Chicago for work. [18] The decline of

industrial cities and growth of suburbs has been so sharp, that by 1990 a majority of the county's population lived outside of the four traditional industrial cities. Lake County still continues to struggle with urban decline and poverty, suburban sprawl and traffic jams, and a stagnating population. [17]

Geography

[edit]

According to the 2010 census, the county has a total area of 626.56 square miles $(1,622.8~{\rm km}^2)$, of which 498.96 square miles $(1,292.3~{\rm km}^2)$ (or 79.63%) is land and 127.60 square miles $(330.5~{\rm km}^2)$ (or 20.37%) is water. It is the second-largest county in total area in Indiana, but has the largest water area of all 92 counties. [19]

The northern and southern portions of the county (north of U.S. 30 and south of Lowell) are mainly low and flat, except for a few sand ridges and dunes and were both once very marshy and had to be drained. The lowest point, at 585 feet (178 m),[⁷] is along the Lake Michigan shoreline.

The central part of the county is higher and hillier. As you travel south from the low and relatively flat lake plain in the northern part of the county, the land gradually rises in elevation until the peak of the Valparaiso Moraine. The highest point, at 801 feet (244 m), [⁶] is in northeastern Winfield Township near 109th Street and North Lakeshore Drive in Lakes of the Four Seasons. From here the land descends south into the Kankakee Outwash Plain until the Kankakee River is reached.

The geographic center of Lake County is approximately 200 feet (60 m) northwest of Burr Street and West 113th Avenue in Center Township

Adjacent counties

[edit]

- Cook County, Illinois (northwest)
- Will County, Illinois (west)
- Kankakee County, Illinois (southwest)
- Porter County (east)
- Jasper County (southeast)
- Newton County (south)

National protected area

o Indiana Dunes National Park - also in LaPorte and Porter counties

Transit

- o East Chicago Transit
- o Gary Public Transportation Corporation (Broadway Metro Express)

Airports

- Gary/Chicago International Airport
- o Griffith-Merrillville Airport

Major highways

Interstate 65 in Lake County is called the Casimir Pulaski Memorial Highway. Interstate 80/94/US 6 is the Frank Borman Expressway from the Illinois state line east to the Indiana Toll Road interchange in the eastern portion of the county. Interstate 94 has been referred to as the Chicago-Detroit Industrial Freeway. US 6 is part of the Grand Army of the Republic Highway. Broadway (Indiana 53) is also the Carolyn Mosby Memorial Highway. Indiana 51 is known for its entire length as the Adam Benjamin Memorial Highway. US 30 is part of the historic Lincoln Highway. US 12 from Gary eastward is part of Dunes Highway. Cline Avenue (Indiana 912) from US 12 north and westward is known as the Highway Construction Workers Memorial Highway.

- o Interstate 65
- o Interstate 80
- o Indiana Toll Road
- o Interstate 94
- o U.S. Route 6
- U.S. Route 12


- o U.S. Route 20
- U.S. Route 30
- o U.S. Route 41
- o maseus. S. Route 231
- o State Road 2
- o State Road 51
- o State Road 53
- o State Road 55
- o State Road 130
- o State Road 152
- o State Road 312
- o State Road 912

Railroads

- Amtrak
- o Canadian National Railway
- o Chicago, Fort Wayne and Eastern Railroad
- o Chicago South Shore and South Bend Railroad
- CSX Transportation
- Gary Railway
- o Indiana Harbor Belt Railroad
- Norfolk Southern Railway
- South Shore Line

Municipalities

[edit]



The municipalities in Lake County, and their populations as of the 2020 Census, are:

Cities

- Crown Point 33,899
- o East Chicago 26,370
- o Gary 69,093
- Hammond 77,879
- Hobart 29,752
- Lake Station 13,235
- Whiting 4,559

Towns

- o Cedar Lake 14,106
- o Dyer 16,517
- o Griffith 16,528
- ∘ Highland 23,984
- o Lowell 10,680
- o Merrillville − 36,444
- o Munster 23,894
- o New Chicago 1,999
- Schererville 29,646
- ∘ Schneider 269
- ∘ St. John 20,303
- Winfield 7,181

Census-designated places

[edit]

- ∘ Lake Dalecarlia 1,332
- Lakes of the Four Seasons 3,936
 (7,091 including portion in Porter County)
- Shelby 453

Unincorporated communities

- Ainsworth
- Belshaw
- Brunswick
- Creston
- o Deep River
- o Deer Creek
- o Dinwiddie
- Green Acres
- Klaasville
- Kreitzburg
- Leroy
- Liverpool

- New Elliott
- Orchard Grove
- Palmer
- o Range Line
- Ross
- Southeast Grove

Townships

[edit]

The 11 townships of Lake County, with their populations as of the 2020 Census, are:

- o Calumet 91,970
- ∘ Cedar Creek 12,725
- o Center 38,630
- o Eagle Creek 1,719
- Hanover 18,214
- o Hobart 40,652
- o North 156,686
- o Ross 48,529
- ∘ St. John 68,972
- West Creek 7,676
- Winfield 12,927

Economy

[edit]

Despite the decline of heavy industry, manufacturing was still the largest employment sector in Lake County in 2010 with over 45,000 workers employed, followed closely by healthcare and social assistance at 44,000 workers, public administration at 40,000 workers, retail trade at 37,000 workers, accommodation and food services at 25,000 workers, and construction at 15,000 workers. [¹⁸]

Lake County's GDP in 2010 was measured at nearly \$25 billion. Manufacturing was also the largest sector of the economy in economic terms, contributing over \$5.8 billion to the county's GDP in 2010. It was followed by healthcare and social assistance at \$2.6 billion, public administration at \$2.5 billion, and retail trade at \$1.9 billion. While Lake County's average income was approximately 24% higher than the national average in 1978, in 2010 Lake County had fallen significantly behind the United States as a whole, with average income being approximately 12.9% lower. The national average surpassed Lake County sometime around 1986.

Businesses with the largest number of employees in the county are: [²⁰]

- Americall Group, Inc. Hobart
- o Ameristar Casino East Chicago
- BP Whiting Refinery Whiting
- Canadian National Railway Whiting
- Cargill Hammond
- Cleveland-Cliffs Indiana Harbor Works East Chicago
- o Community Hospital Munster
- o Franciscan Alliance, Inc. locations throughout the region
- Franciscan Health Hammond Hammond *(closed)*

- Hard Rock Casino Northern Indiana Gary
- Horseshoe Casino Hammond
- Majestic Star Casino Gary (closed)
- Methodist Hospitals Northlake Campus Merrillville
- NiSource Merrillville
- o Radisson Hotel at Star Plaza Merrillville *(closed)*
- St. Catherine Hospital East Chicago
- St. Mary Medical Center Hobart
- Times Media Company Munster
- Unilever Whiting
- U.S. Steel Gary Works Gary

Education

[edit]

Public school districts

[edit]

The administration of public schools in Lake County is divided among 16 corporations and governing bodies, [²¹] more than any other Indiana county. [²²]

- o Crown Point Community School Corporation Center and Winfield townships
- o Gary Community School Corporation City of Gary
- o Griffith Public Schools Town of Griffith
- o Hanover Community School Corporation Hanover Township
- Lake Central School Corporation St. John Township

- Lake Ridge Schools Corporation unincorporated Calumet Township
- Lake Station Community Schools City of Lake Station
- Merrillville Community School Corporation Ross Township
- River Forest Community School Corporation Town of New Chicago and some portions of adjacent communities
- School City of East Chicago City of East Chicago
- School City of Hammond City of Hammond
- School City of Hobart City of Hobart within Hobart Township
- School City of Whiting City of Whiting
- School Town of Highland Town of Highland
- School Town of Munster Town of Munster
- Tri-Creek School Corporation Cedar Creek, Eagle Creek and West Creek townships

Private schools

[edit]

Elementary and secondary schools operated by the Diocese of Gary:

- Andrean High School, Merrillville (9–12)
- Aquinas School at St. Andrew's, Merrillville (PK-8)
- ∘ Bishop Noll Institute, Hammond (9–12)
- ∘ Our Lady of Grace, Highland (PK-8)
- ∘ St. Casimir, Hammond (PK-8)
- ∘ St. John Bosco, Hammond (PK-8)

- ∘ St. John the Baptist, Whiting (PK-8)
- ∘ St. John the Evangelist, St. John (PK-8)
- St. Mary, Crown Point (PK-8)
- ∘ St. Mary, Griffith (PK-8)
- St. Michael, Schererville (PK-8)
- ∘ St. Stanislaus, East Chicago (PK-8)
- St. Thomas More, Munster (PK-8)

Other parochial and private schools:

- St. Paul's Lutheran School, Munster (PK-8)
- Trinity Lutheran School, Crown Point (PK-8)
- Trinity Lutheran School, Hobart (PK-8)

Colleges and universities

[edit]

- o Calumet College of St. Joseph
- o Hyles-Anderson College
- o Indiana University Northwest
- o Ivy Tech Community College
- Purdue University Northwest [23]
- University of Phoenix
- Indiana Wesleyan University

Public libraries

[edit]

The county is served by seven different public library systems:

- Crown Point Community Library has its main location with a branch in Winfield.
- East Chicago Public Library has its main location and the Robart A. Pastrick branch. [²⁵]
- Gary Public Library has its main location, the Gary Public Library and Cultural
 Center, and the Kennedy and Woodson branches. [²⁶]
- Hammond Public Library [27]
- Lake County Public Library has its main location in Merrillville as well as Cedar Lake, Dyer-Schererville, Griffith-Calumet Township, Highland, Hobart, Lake Station-New Chicago, Munster and St. John branches. [28]
- \circ Lowell Public Library has its main location with branches in Schneider and Shelby. [$^{29}\mathrm{]}$
- Whiting Public Library [³⁰]

Hospitals

- o Community Hospital, Munster 454 beds [31]
- Franciscan Health Crown Point, Crown Point 203 beds (Level III Trauma Center)[
 31][32][33]
- Franciscan Health Dyer, Dyer 223 beds [31][32]
- Franciscan Health Munster, Munster 63 beds [31][32]
- Methodist Hospitals 536 beds[31]
 - o Northlake Campus, Gary

- o Southlake Campus, Merrillville
- NW Indiana ER and Hospital, Hammond 6 beds [31]
- St. Catherine Hospital, East Chicago 216 beds [3]
- St. Mary Medical Center, Hobart 215 beds [³¹]
- UChicago Medicine Crown Point, Crown Point 8 beds *(opening April 2024)*[34]

Media

[edit]

The Times, based in Munster, is the largest daily newspaper in Lake County and Northwest Indiana and the second largest in the state. Lake County is also served by the *Post-Tribune*, a daily newspaper based in Merrillville.

Lakeshore Public Television operates WYIN-TV Gary on channel 56 and is the local PBS station in the Chicago television market.

These eight broadcast radio stations serve Lake County and are part of the Chicago market:

- ∘ WJOB (1230 AM) Hammond
- WWCA (1270 AM) Gary
- WLTH (1370 AM) Gary
- WLPR (89.1 FM) Lowell
- WRTW (90.5 FM) Crown Point
- WPWX (92.3 FM) Hammond
- o WXRD (103.9 FM) Crown Point
- WZVN (107.1 FM) Lowell


Climate and weather

[edit]

Climate data for Lowell, Indiana (1981-2010 normals, extremes 1963-present)

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Record high	66	73	85	91	95	104	101	104	98	92	77	70
°F (°C)	(19)	(23)	(29)	(33)	(35)	(40)	(38)	(40)	(37)	(33)	(25)	(21)
Mean daily	31.2	35.8	47.5	60.8	71.3	80.7	83.8	82.0	76.4	63.6	49.4	35.1
maximum °F	(-0.4)		(8.6)	(16.0)			(28.8)					(1.7)
(°C)	(-0.4)	(2.1)	(0.0)	(10.0)	(21.0)	(27.1)	(20.0)	(27.0)	(24.7)	(17.0)	(9.7)	(1.7)
Daily mean	22.8	26.7	37.4	49.3	59.8	69.7	73.1	71.1	64.2	51.9	40.2	27.1
°F (°C)	(-5.1)	(-2.9)	(3.0)	(9.6)	(15.4)	(20.9)	(22.8)	(21.7)	(17.9)	(11.1)	(4.6)	(-2.7)
Mean daily	14.4	17.7	27.4	37.9	40.0	58.7	62.4	60.3	52.0	40.2	31.0	19.1
minimum °F			(-2.6)		48.2		(16.9)		(11.1)		(-0.6)	
(°C)	(-9.6)	(-7.9)	(-2.0)	(3.3)	(9.0)	(14.0)	(10.9)	(15.7)	(11.1)	(4.0)	(-0.0)	(-7.2)
Record low	-28	-23	-9	7	26	33	41	38	28	18	2	-29
°F (°C)	(-33)	(-31)	(-23)	(-14)	(-3)	(1)	(5)	(3)	(-2)	(-8)	(-17)	(-34)
Average												
precipitation	1.96	1.75	2.57	3.78	4.38	4.69	4	3.98	3.14	3.44	3.43	2.34
inches	(50)	(44)	(65)	(96)	(111)	(119)	(100)	(101)	(80)	(87)	(87)	(59)
(mm)												
Average	8.8	8.2	3.4	0.3	0	0	0	0	0	0.2	0.7	7.7
snowfall	(22)	(21)		(0.76)		(0)	(0)	(0)	(0)	(0.51)		(20)
inches (cm)	(22)	(21)	(0.0)	(0.70)	(0)	(0)	(0)	(0)	(0)	(0.01)	(1.0)	(20)

Source: NOAA (normals, 1981–2010)[³⁵]



Satellite imagery of Lake County, IN

In recent years, average temperatures in Lowell have ranged from a low of 14.4 °F (-9.8 °C) in January to a high of 83.8 °F (28.8 °C) in July, although a record low of -29 °F (-34 °C) was recorded in December 1989 and a record high of 104 °F (40 °C) was recorded in June 1988. Average monthly precipitation ranged from 1.75 inches (44 mm) in February to 4.69 inches (119 mm) in June. Temperatures at or below 0 °F (-18 °C) occur on average 11 days annually and exceed 90 °F (32 °C) degrees on 14

days. $[^{35}]$ In winter, lake-effect snow increases snowfall totals compared to the areas to the west. $[^{36}]$ In spring and early summer, the immediate shoreline areas sometimes experience lake-breeze that can drop temperatures by several degrees compared to areas further inland. $[^{37}]$ In summer, thunderstorms are common, occurring an average 40–50 days every year, $[^{38}]$ and on about 13 days, these thunderstorms produce severe winds. $[^{39}]$

Government

[edit]

See also: Government of Indiana

The county government is a constitutional body, and is granted specific powers by the Constitution of Indiana, and by the Indiana Code.

County Council: The county council is the legislative branch of the county government and controls all the spending and revenue collection in the county. Representatives are elected from county districts. The council members serve four-year terms. They are responsible for setting salaries, the annual budget, and special spending. The council also has limited authority to impose local taxes, in the form of an income and property tax that is subject to state level approval, excise taxes, and service taxes. [40][41]

Board of Commissioners: The executive body of the county is made of a board of commissioners. The commissioners are elected county-wide, in staggered terms, and each serves a four-year term. One of the commissioners, typically the most senior, serves as president. The commissioners are charged with executing the acts legislated by the council, collecting revenue, and managing the day-to-day functions of the county government. $[^{40}][^{41}]$

Court: The county maintains a small claims court that can handle some civil cases. The judge on the court is elected to a term of four years and must be a member of the Indiana Bar Association. The judge is assisted by a constable who is also elected to a four-year term. In some cases, court decisions can be appealed to the state level circuit court. [41]

County Officials: The county has several other elected offices, including sheriff, coroner, auditor, treasurer, recorder, surveyor, and circuit court clerk Each of these elected officers serves a term of four years and oversees a different part of county government. Members elected to county government positions are required to declare party affiliations and to be residents of the county. [41]

County elected officials

Board of Commissioners: [3]

- ∘ Kyle W. Allen, Sr. (D, 1st)⊠
- Jerry J. Tippy (R, 2nd)
- Michael C. Repay (D, 3rd)

County Council:[3]

- David Hamm (D, 1st)
- Ronald Brewer (D, 2nd)
- o Charlie Brown (D, 3rd)
- Pete Lindemulder (R, 4th)
- Christine Cid (D, 5th)
- Ted F. Bilski (D, 6th)
- Randy Niemeyer (R, 7th)

Elected Officials:[3]

- Assessor: LaTonya Spearman (D)
- Auditor: Peggy Katona (D)
- o Clerk: Michael Brown (D)
- Coroner: David Pastrick (D)
- Prosecutor: Bernard A. Carter (D)
- Recorder: Gina Pimentel (D)
- Sheriff: Oscar Martinez, Jr. (D)[⁴²]
- Surveyor: Bill Emerson, Jr. (D)
- Treasurer: John Petalas (D)

President

Politics

[edit]

While the state of Indiana is strongly Republican, having voted Republican in every election since 1964 (except in 2008), Lake County has long been a Democratic stronghold due to being part of the Chicago metropolitan area. It has given pluralities or majorities to Democrats in every presidential election since 1932 with the exceptions of 1956 and 1972. Like the rest of the Rust Belt, however, Lake County has recently trended Republican, with Donald Trump scoring the highest percentage of the vote since 1972 in the 2024 presidential election.

Lake is part of Indiana's 1st congressional district, which is held by Democrat Frank J. Mrvan. [43] In the State Senate, Lake is part of the 1st, 2nd, 3rd and 6th districts, which are held by three Democrats and one Republican. In the Indiana House of Representatives, Lake is part of the 1st, 2nd, 3rd, 11th, 12th, 14th, 15th and 19th districts, which are held by four Democrats and four Republicans.

United States presidential election results for Lake County, Indiana [44]

Year	Republican		Democratic	Third party(ies)		
	No.Ã⊠¢ââ€⊠¬Ã,Ã	Â- %	No.Ã⊠¢ââ€⊠¬Ã,	Â- %	No.Ã⊠¢ââ€⊠¬Ã,	Â ⁻ %
2024	97,270	46.30%	109,086	51.92%	3,746	1.78
2020	91,760	41.65%	124,870	56.67%	3,700	1.68
2016	75,625	37.29%	116,935	57.66%	10,241	5.0
2012	68,431	33.85%	130,897	64.75%	2,819	1.39
2008	67,742	32.41%	139,301	66.64%	1,996	0.9
2004	71,903	38.24%	114,743	61.03%	1,376	0.7
2000	63,389	36.02%	109,078	61.98%	3,527	2.0
1996	47,873	29.22%	100,198	61.15%	15,789	9.6
1992	53,867	28.91%	102,778	55.17%	29,653	15.9
1988	79,929	43.03%	105,026	56.55%	780	0.4
1984	94,870	44.30%	117,984	55.10%	1,289	0.6
1980	95,408	46.02%	101,145	48.78%	10,786	5.2
1976	90,119	42.36%	120,700	56.74%	1,922	0.9
1972	115,480	56.24%	88,510	43.10%	1,352	0.6
1968	77,911	36.48%	99,897	46.77%	35,766	16.7
1964	73,722	35.19%	134,978	64.42%	823	0.3

		1	· · · · · · · · · · · · · · · · · · ·			
1960	78,278	37.04%	132,554	62.72%	526	0.2
1956	92,803	52.00%	85,000	47.63%	657	0.3
1952	74,073	44.66%	90,721	54.70%	1,051	0.6
1948	51,413	38.77%	77,025	58.09%	4,157	3.14
1944	48,147	38.84%	75,066	60.56%	737	0.5
1940	45,898	38.79%	71,985	60.83%	447	0.38
1936	33,689	32.47%	68,551	66.07%	1,510	1.46
1932	42,596	46.56%	46,060	50.34%	2,836	3.10
1928	48,768	59.68%	32,321	39.55%	630	0.7
1924	30,990	64.61%	10,918	22.76%	6,060	12.6
1920	26,296	69.15%	7,136	18.77%	4,596	12.0
1916	13,262	55.00%	9,946	41.25%	903	3.7
1912	5,176	29.61%	5,136	29.38%	7,171	41.0
1908	9,499	60.97%	5,502	35.32%	578	3.7
1904	6,429	64.11%	2,933	29.25%	666	6.6
1900	5,337	58.00%	3,733	40.57%	131	1.42
1896	4,883	58.11%	3,418	40.68%	102	1.21
1892	2,958	48.02%	3,010	48.86%	192	3.12
1888	2,543	54.21%	2,068	44.08%	80	1.71

2008 presidential primary

In the 2008 Democratic presidential primary on May 6, 2008, Lake County was one of the last counties to report results. [⁴⁵] Lake County had reported no results at 11 p.m. ET, [⁴⁶] and at midnight ET, only 28% of Lake County's vote had been reported. [⁴⁷] A large number of absentee ballots and a record turnout delayed the tallies, and polls closed an hour later than much of the state because Lake County is in the Central Time Zone. [⁴⁶] Early returns showed Senator Barack Obama leading by a potentially lead-changing margin, leaving the race between Senator Hillary Clinton and Obama "too close to call" until final tallies were reported.

Crime

The NWI Times reported that over 800 registered sex offenders live in Lake and Porter Counties of Indiana in 2021. [48]

Culture and contemporary life

[edit]

Entertainment and the arts

[edit]

- o Northwest Indiana Symphony Orchestra, concerts held at Living Hope Church
 - Merrillville
- Theatre at the Center, located at the Center for Visual and Performing Arts –
 Munster

Major attractions

[edit]

- o Ameristar Casino East Chicago
- Horseshoe Casino Hammond
- Majestic Star Casino Gary
- Majestic Star Casino II Gary
- Pierogi Fest Whiting
- Southlake Mall Hobart
- Three Floyds Brewing Munster

Professional sports teams

[edit]

 Gary SouthShore RailCats, an American Association professional baseball team, play their games at U.S. Steel Yard in Gary.

Recreation

[edit]

List of parks and recreational facilities – Lake County Parks and Recreation

o Bellaboo's Play and Discovery Center – Lake Station

- Buckley Homestead Lowell
- Cedar Creek Family Golf Center Cedar Lake
- Deep River County Park Hobart
- o Deep River Waterpark Crown Point
- o Gibson Woods Nature Preserve Hammond
- o Grand Kankakee Marsh Hebron
- Lake Etta Gary
- Lemon Lake Crown Point
- o Oak Ridge Prairie & Oak Savannah Trail Griffith
- Stoney Run County Park Hebron
- o Three Rivers County Park Lake Station
- Turkey Creek Golf Course Merrillville
- Whihala Beach Whiting

List of recreational facilities – Indiana Dunes National Park

- Calumet Prairie State Nature Preserve Lake Station
- Hobart Prairie Grove Hobart
- Hoosier Prairie State Nature Preserve Griffith
- o Paul H. Douglas Center for Environmental Education Gary

Demographics

[edit]

Historical population

Census	Pop.	Note	%±
1840	1,468		_
1850	3,991		171.9%

1860	9,145	129.1%			
1870	12,339	34.9%			
1880	15,091	22.3%			
1890	23,886	58.3%			
1900	37,892	58.6%			
1910	82,864	118.7%			
1920	159,957	93.0%			
1930	261,310	63.4%			
1940	293,195	12.2%			
1950	368,152	25.6%			
1960	513,269	39.4%			
1970	546,253	6.4%			
1980	522,965	-4.3%			
1990	475,594	-9.1%			
2000	484,564	1.9%			
2010	496,005	2.4%			
2020	498,700	0.5%			
2023 (est.)	500,598 [⁴⁹]	0.4%			
U.S. Decennial Census[⁵⁰]					
1790-1960[⁵¹] 1900-1990[⁵²]					
1990-2000[⁵³] 2010-2019[⁹]					

2020 census

Lake County, Indiana – Racial and ethnic composition

Note: the US Census treats Hispanic/Latino as an ethnic category. This table excludes Latinos from the racial categories and assigns them to a separate category. Hispanics/Latinos may be of any race.

Race / Ethnicity (NH = Non-Hispanic)	Pop 2000[⁵⁴]	Pop 2010[⁵⁵]	Pop 2020[56]	% 2000	% 2010	% 2020
White alone (NH)	293,457	274,162	251,106	60.56%	55.27%	50.35%
Black or African American alone (NH)	121,372	125,506	121,048	25.05%	25.30%	24.27%
Native American or						
Alaska Native alone	854	913	691	0.18%	0.18%	0.14%
(NH)						
Asian alone (NH)	3,862	5,981	7,334	0.80%	1.21%	1.47%
Pacific Islander alone (NH)	106	63	95	0.02%	0.01%	0.02%
Other race alone (NH)	450	463	1,682	0.09%	0.09%	0.34%
Mixed race or Multiracial (NH)	5,335	6,254	16,817	1.10%	1.26%	3.37%
Hispanic or Latino (any race)	59,128	82,663	99,927	12.20%	16.67%	20.04%
Total	484,564	496,005	498,700	100.00%	100.00%	100.00%

As of the 2010 United States Census, there were 496,005 people, 188,157 households, and 127,647 families residing in the county. [57] The population density was 994.1 inhabitants per square mile (383.8/km 2). There were 208,750 housing units at an average density of 418.4 per square mile (161.5/km 2). [19] The racial makeup of the

county was 64.4% white, 25.9% black or African American, 1.2% Asian, 0.3% American Indian, 5.8% from other races, and 2.4% from two or more races. Those of Hispanic or Latino origin made up 16.7% of the population. [⁵⁷] In terms of ancestry, 16.1% were German, 11.1% were Irish, 9.6% were Polish, 5.4% were English, 4.8% were Italian and 3.7% were American. [⁵⁸]

Of the 188,157 households, 34.3% had children under the age of 18 living with them, 44.7% were married couples living together, 17.4% had a female householder with no husband present, 32.2% were non-families, and 27.4% of all households were made up of individuals. The average household size was 2.60 and the average family size was 3.19. The median age was 37.4 years. [⁵⁷]

The median income for a household in the county was \$47,697 and the median income for a family was \$58,931. Males had a median income of \$50,137 versus \$33,264 for females. The per capita income for the county was \$23,142. About 12.2% of families and 16.1% of the population were below the poverty line, including 25.3% of those under age 18 and 8.4% of those age 65 or over. [⁵⁹]

Places by population and race $[^{60}]$

	Place	Population (2010)	White	Black or African American	Asian	Other [^{note}	Hispanic or Latino (of any race)
L	ake County	496,005	64.4%	25.9%	1.2%	8.5%	16.7%
C	Cedar Lake, <i>town</i>	11,560	94.9%	0.5%	0.4%	4.2%	6.5%
C	Crown Point, <i>city</i>	27,317	88.2%	6.3%	1.8%	3.7%	8.1%
	Oyer, town	16,390	90.1%	2.5%	2.9%	4.5%	9.3%
Е	ast Chicago, <i>city</i>	29,698	35.5%	42.9%	0.1%	21.5%	50.9%

Gary, city	80,294	10.7%	84.8%	0.2%	4.3%	5.1%
Griffith, town	16,893	75.8%	16.9%	0.8%	6.5%	13.3%
Hammond, city	80,830	59.4%	22.5%	1.0%	17.1%	34.1%
Highland, town	23,727	88.6%	4.2%	1.6%	5.6%	12.8%
Hobart, <i>city</i>	29,059	85.3%	7.0%	1.0%	6.7%	13.9%
Lake Dalecarlia, CDP	1,355	97.3%	0.2%	0.1%	2.4%	3.4%
Lake Station, city	12,572	79.7%	3.6%	0.3%	16.4%	28.0%
Lakes of the Four	7.033	93.4%	1.2%	1.0%	4.4%	8.5%
Seasons, <i>CDP</i> [^{note 2}]	7,033	33.4%	1.270	1.0 %	4.4%	0.5%
Lowell, town	9,276	95.9%	0.5%	0.3%	3.3%	6.9%
Merrillville, town	35,246	46.4%	44.5%	1.2%	7.9%	12.9%
Munster, town	23,603	85.6%	3.5%	5.8%	5.1%	10.2%
New Chicago, town	2,035	81.0%	2.2%	0.7%	16.1%	27.4%
St. John, town	14,850	93.5%	1.3%	1.3%	3.9%	8.2%
Schererville, town	29,243	86.8%	5.4%	2.8%	5.0%	10.6%
Schneider, town	277	97.1%	0.0%	1.1%	1.8%	2.5%
Shelby, CDP	539	95.5%	1.7%	0.2%	2.6%	0.9%
Whiting, city	4,997	76.3%	3.5%	0.7%	19.5%	40.7%
Winfield, town	4,383	88.5%	3.7%	3.5%	4.3%	8.9%

Places by population and standard of living $[^{61}][^{62}]$

	Population	Per	Median	Median
Place	Population (2010)	capita	household	home
	(2010)	income	income	value
Lake County	496,005	\$23,792	\$49,315	\$137,400

Cedar Lake, town	11,560	\$25,477	\$59,090 \$151,400
Crown Point, city	27,317	\$31,454	\$64,876 \$174,900
Dyer, town	16,390	\$35,020	\$78,881 \$197,500
East Chicago, <i>city</i>	29,698	\$13,457	\$27,171 \$86,800
Gary, city	80,294	\$15,764	\$26,956 \$66,900
Griffith, town	16,893	\$26,548	\$53,225 \$141,600
Hammond, city	80,830	\$18,148	\$38,677 \$94,800
Highland, town	23,727	\$30,036	\$61,930 \$155,200
Hobart, city	29,059	\$24,740	\$54,468 \$134,400
Lake Dalecarlia, CDP	1,355	\$25,035	\$52,321 \$165,400
Lake Station, <i>city</i>	12,572	\$16,953	\$36,955 \$82,400
Lakes of the Four Seasons, <i>CDP</i> [note 2 _]	7,033	\$32,908	\$84,242 \$182,600
Lowell, town	9,276	\$23,619	\$60,549 \$146,500
Merrillville, town	35,246	\$23,605	\$53,470 \$132,600
Munster, town	23,603	\$34,735	\$70,708 \$197,600
New Chicago, town	2,035	\$18,083	\$38,672 \$97,700
St. John, town	14,850	\$36,490	\$97,868 \$254,600
Schererville, town	29,243	\$33,984	\$68,004 \$204,300
Schneider, town	277	\$18,774	\$50,972 \$89,500
Shelby, CDP	539	\$29,700	\$61,667 \$89,700
Whiting, city	4,997	\$21,427	\$44,368 \$111,500
Winfield, town	4,383	\$23,792	\$49,315 \$137,400

See also

[edit]

- Lake County Indiana Sheriff's Department
- o List of public art in Lake County, Indiana
- National Register of Historic Places listings in Lake County, Indiana



Wikimedia Commons has media related to Lake County, Indiana.

Bibliography

[edit]

- Forstall, Richard L. (1995). U. S. Population of States and Counties 1790 Through 1990
 National Technical Information Services (NTIS). ISBN 0-934213-48-8.
- Schoon, Kenneth J. (2003). Calumet Beginnings: Ancient Shorelines and Settlements at the South End of Lake Michigan. Indiana University Press. ISBN 0-253-34218-X.

Notes

[edit]

- 1. A Other = Combined percentages for American Indian or Alaska Native; Native Hawaiian or Pacific Islander; other races; and two or more races
- 2. ^ a b Population is 3,936 within Lake County; 3,097 reside in Porter County

References

[edit]

- 1. ▲ "Lake County History". Lake County Historical Museum. Archived from the original on June 2, 2014. Retrieved June 1, 2014.
- 2. ^ **a b** William Frederick Howat (1915). A Standard History of Lake County, Indiana, and the Calumet Region, Volume 1. Chicago: Lewis Publishing Company. p. 100.
- 3. ^ **a b c d** "2016 Public Officials Directory". Lake County Board of Elections and Voter's Registration. Archived from the original on June 8, 2014. Retrieved October 11, 2016.
- 4. A Timothy Horton Ball (1873). Lake County, Indiana, from 1834 to 1872. Chicago: J.W. Goodspeed. p. 5.
- 5. A "Lake County". Geographic Names Information System. United States Geological Survey, United States Department of the Interior.
- 6. ^ **a b** Palmer Quadrangle Indiana Lake Co (Map). 1:24,000. 7.5-Minute Series (Topographic). United States Geological Survey. 2013.
- 7. ^ **a b** Whiting Quadrangle Indiana Lake Co (Map). 1:24,000. 7.5-Minute Series (Topographic). United States Geological Survey. 2013.
- 8. A "USA Counties in Profile". STATS Indiana. Archived from the original on July 30, 2012. Retrieved June 16, 2014.
- 9. ^ **a b** "Lake County QuickFacts". United States Census Bureau. Archived from the original on June 7, 2011. Retrieved June 12, 2014.
- 10. ▲ "Find a County". National Association of Counties. Archived from the original on May 31, 2011. Retrieved June 7, 2011.
- A Smith, S. & Mark, S. (2006). Alice Gray, Dorothy Buell, and Naomi Svihla:
 "Preservationists of Ogden Dunes", The South Shore Journal, 1. "South Shore Journal Alice Gray, Dorothy Buell, and Naomi Svihla: Preservationists of Ogden Dunes".
 Archived from the original on September 13, 2012. Retrieved June 11, 2012.
- 12. A Smith, S. & Mark, S. (2009). "The Historical Roots of the Nature Conservancy in the Northwest Indiana/Chicagoland Region: From Science to Preservation", *The South Shore Journal*, 3. "South Shore Journal the Historical Roots of the Nature Conservancy in the Northwest Indiana/Chicagoland Region: From Science to Preservation". Archived from the original on January 1, 2016. Retrieved November 22, 2015.

- 13. A Smith, S. & Mark, S. (2011). "Marktown: Clayton Mark's Planned Worker Community in Northwest Indiana", South Shore Journal, 4. "South Shore Journal Marktown: Clayton Mark's Planned Worker Community in Northwest Indiana". Archived from the original on September 13, 2012. Retrieved August 29, 2012.
- 14. ^ **a b** Kenneth J. Schoon (2003). *Calumet Beginnings: Ancient Shorelines and Settlements at the South End of Lake Michigan*. Indiana: Indiana University Press. pps. 20-23.
- 15. ▲ De Witt Clinton Goodrich & Charles Richard Tuttle (1875). An Illustrated History of the State of Indiana. Indiana: R. S. Peale & Co. p. 565.
- 16. ▲ William Frederick Howat (1915). A Standard History of Lake County, Indiana, and the Calumet Region, Volume 1. Chicago: Lewis Publishing Company. p. 44.
- 17. ^ **a** b c "Lake County, IN". Encyclopedia of Chicago. Chicago History Museum. Retrieved October 3, 2018.
- 18. ^ **a b c** "Northwest Indiana Regional Analysis: Demographics, Economy, Entrepreneurship and Innovation" (PDF). Cleveland State University. Archived from the original (PDF) on March 25, 2016. Retrieved October 5, 2018.
- 19. ^ **a b** "Population, Housing Units, Area, and Density: 2010 County". United States Census Bureau. Archived from the original on February 12, 2020. Retrieved July 10, 2015.
- 20. ▲ "Largest Employers in Lake County, Indiana". Lake County Economic Alliance. Archived from the original on October 9, 2017. Retrieved December 31, 2017.
- 21. ▲ "2020 Census School District Reference Map: Lake County, IN" (PDF). U.S. Census Bureau. Retrieved July 20, 2022. Text list
- 22. A "Page Not Found: STATS Indiana". www.stats.indiana.edu. Archived from the original on December 8, 2016. Retrieved September 5, 2017. cite web: Cite uses generic title (help)
- 23. A Joseph S. Pete (March 5, 2016). "Purdue University Northwest now officially exists".

 The Times of Northwest Indiana. Archived from the original on March 7, 2016. Retrieved March 5, 2016.
- 24. A "Crown Point Community Library". Archived from the original on July 11, 2014. Retrieved June 19, 2014.

- 25. ▲ "East Chicago Public Library". Archived from the original on June 1, 2014. Retrieved June 19, 2014.
- 26. ▲ "Gary Public Library". Archived from the original on July 14, 2014. Retrieved June 19, 2014.
- 27. ▲ "Hammond Public Library". Archived from the original on July 14, 2014. Retrieved June 19, 2014.
- 28. ▲ "Lake County Public Library". Archived from the original on July 1, 2014. Retrieved June 19, 2014.
- 29. ▲ "Lowell Public Library". Archived from the original on April 3, 2014. Retrieved June 19, 2014.
- 30. ▲ "Whiting Public Library". Archived from the original on July 14, 2014. Retrieved June 19, 2014.
- 31. ^ a b c d e f g h "Hospital Facility Directory for Lake County". Indiana Department of Health. Retrieved September 4, 2023.
- 32. ^ **a b c** "Franciscan Health is New Name for Leading Hospital System". Franciscan Alliance, Inc. September 6, 2016. Archived from the original on September 20, 2016. Retrieved September 11, 2016.
- Trauma Centers in Indiana". Indiana Department of Health. Retrieved September 4, 2023.
- 34. ▲ "UChicago Medicine's new Crown Point multispecialty care facility opens April 29". University of Chicago Medical Center. February 26, 2024. Retrieved April 16, 2024.
- 35. ^ **a b** "NCDC: U.S. Climate Normals". National Oceanic and Atmospheric Administration. Archived from the original on July 14, 2014.
- 36. ▲ "Average annual snowfall for the Midwest region | Scenarios for Climate Assessment and Adaptation". Archived from the original on July 25, 2015. Retrieved July 25, 2015.
- 37. A Laird, Neil F.; Kristovich, David A. R.; Liang, Xin-Zhong; Arritt, Raymond W.; Labas, Kenneth (March 1, 2001). "Lake Michigan Lake Breezes: Climatology, Local Forcing, and Synoptic Environment". Journal of Applied Meteorology. 40 (3): 409–424.

 Bibcode:2001JApMe..40..409L. doi:10.1175/1520-0450(2001)040<0409:lmlbcl>2.0.co;2.
- 38. A Service, National Weather. "NWS JetStream Thunderstorms". www.srh.noaa.gov. Archived from the original on March 23, 2016. Retrieved September 5, 2017.
- 39. ▲ "Archived copy". Archived from the original on September 20, 2015. Retrieved July 25, 2015.cite web: CSI maint: archived copy as title (link)

- 40. ^ **a b** Indiana Code. "Title 36, Article 2, Section 3". IN.gov. Archived from the original on October 5, 2008. Retrieved September 16, 2008.
- 41. ^ **a** b c d Indiana Code. "Title 2, Article 10, Section 2" (PDF). IN.gov. Archived (PDF) from the original on October 29, 2008. Retrieved September 16, 2008.
- 42. ▲ Bill Dolan (September 16, 2017). "New Lake County Sheriff Martinez credited experience, Hammond support for victory". The Times of Northwest Indiana. Archived from the original on September 16, 2017. Retrieved September 16, 2017.
- 43. ▲ "US Congressman Pete Visclosky". US Congress. Archived from the original on October 9, 2008. Retrieved July 13, 2014.
- 44. ▲ Leip, David. "Dave Leip's Atlas of U.S. Presidential Elections". uselectionatlas.org. Archived from the original on March 23, 2018. Retrieved September 5, 2017.
- 45. ▲ "Awaiting one county". CNN. May 6, 2008. Archived from the original on November 19, 2009. Retrieved May 7, 2010.
- 46. ^ a b Indiana's Lake County has tradition of late vote tallies [dead link]
- 47. ▲ "Clinton's Indiana win keeps Democratic race alive CNN.com". www.cnn.com. Archived from the original on May 6, 2008. Retrieved September 5, 2017.
- 48. **∧** "GALLERY: Registered sex offenders in Valparaiso".
- 49. ▲ "Annual Estimates of the Resident Population for Counties: April 1, 2020 to July 1, 2023". United States Census Bureau. Retrieved April 2, 2024.
- 50. ▲ "U.S. Decennial Census". United States Census Bureau. Retrieved July 10, 2014.
- 51. ▲ "Historical Census Browser". University of Virginia Library. Archived from the original on August 11, 2012. Retrieved July 10, 2014.
- 52. ▲ "Population of Counties by Decennial Census: 1900 to 1990". United States Census Bureau. Archived from the original on October 4, 2014. Retrieved July 10, 2014.
- 53. ▲ "Census 2000 PHC-T-4. Ranking Tables for Counties: 1990 and 2000" (PDF). United States Census Bureau. Archived (PDF) from the original on December 18, 2014. Retrieved July 10, 2014.
- 54. ↑ "P004: Hispanic or Latino, and Not Hispanic or Latino by Race 2000: DEC Summary File 1 Lake County, Indiana". United States Census Bureau.
- 55. ▲ "P2: Hispanic or Latino, and Not Hispanic or Latino by Race 2010: DEC Redistricting Data (PL 94-171) Lake County, Indiana". United States Census Bureau.

- 56. ▲ "P2: Hispanic or Latino, and Not Hispanic or Latino by Race 2020: DEC Redistricting Data (PL 94-171) Lake County, Indiana". United States Census Bureau.
- 57. ^ **a b c** "DP-1 Profile of General Population and Housing Characteristics: 2010 Demographic Profile Data". United States Census Bureau. Archived from the original on February 13, 2020. Retrieved July 10, 2015.
- 58. ▲ "DP02 SELECTED SOCIAL CHARACTERISTICS IN THE UNITED STATES 2006-2010 American Community Survey 5-Year Estimates". United States Census Bureau. Archived from the original on February 14, 2020. Retrieved July 10, 2015.
- 59. ▲ "DP03 SELECTED ECONOMIC CHARACTERISTICS 2006-2010 American Community Survey 5-Year Estimates". United States Census Bureau. Archived from the original on February 14, 2020. Retrieved July 10, 2015.
- 60. A U.S. Census Bureau. American Community Survey, Profile of General Population and Housing Characteristics 2010, Table DP-1, 2010 Demographic Profile Data. U.S. Census website . Retrieved June 14, 2014.
- 61. U.S. Census Bureau. 2008-2012 American Community Survey 5-Year Estimates, Table DP03, Selected Economic Characteristics. U.S. Census website . Retrieved June 14, 2014.
- 62. A U.S. Census Bureau. 2008-2012 American Community Survey 5-Year Estimates, Table DP04, Selected Housing Characteristics. U.S. Census website . Retrieved June 14, 2014.

External links

[edit]

- Lake County official website
- Lake County Parks
- South Shore Convention & Visitors Authority

\sim	т	
$\overline{}$		

∘ **e**

Places adjacent to Lake County, Indiana

Cook County, Illinois

Lake Michigan

Image not found or type unknown

Will County, Illinois





mage not found or type unknown

Kankakee County, Illinois

Newton County

Jasper County

 \circ V

 \circ t

∘ e

Municipalities and communities of Lake County, Indiana, United States

County seat: Crown Point


- o Crown Point
- East Chicago
- Gary

Cities

- Hammond
- Hobart
- Lake Station
- Whiting
- Cedar Lake
- o Dyer
- o Griffith
- Highland
- Lowell
- Merrillville

Towns

- Munster
- New Chicago
- o St. John
- Schererville
- Schneider
- Winfield



Map of

Indiana

highlighting

Lake

County

- Calumet
- Cedar Creek
- Center
- o Eagle Creek
- Hanover

Townships

- Hobart
- North
- Ross
- o St. John
- West Creek
- Winfield
- o Lake Dalecarlia
- ∘ Lakes of the Four Seasons⊠

CDPs

- Leroy
- Ross
- Shelby

- Ainsworth
- Belshaw
- Brunswick
- Creston
- o Deep River
- Deer Creek
- o Dinwiddie

Other

o Green Acres

communities

- Klaasville
- Kreitzburg
- Liverpool
- New Elliott
- Orchard Grove
- Palmer
- o Range Line
- Southeast Grove

Ghost town

o Indiana City

Footnotes

MThis populated place also has portions in an adjacent county or counties.

- o Indiana portal
- United States portal

 \circ t

∘ e

Chicago metropolitan area

Major city

Chicago

Chicago landsat in

Image not found or type unknown

- Aurora
- o Berwyn
- Calumet City
- o Crown Point
- o Crystal Lake
- DeKalb
- o Des Plaines
- o Elgin
- o Elmhurst
- Evanston
- Gary
- Hammond
- Highland Park
- Joliet
- Kenosha
- Naperville
- North Chicago
- o Park Ridge
- o Portage
- o St. Charles
- Valparaiso
- Waukegan
- Wheaton

Cities

(over 30,000 in 2020)

- Addison
- Arlington Heights
- Bartlett
- Bolingbrook
- o Buffalo Grove
- Carol Stream
- Carpentersville
- Cicero
- Downers Grove
- Elk Grove Village
- Glendale Heights
- o Glenview
- Grayslake
- Gurnee
- Hanover Park
- Hoffman Estates
- Lombard

Towns and villages

Merrillville

(over 30,000 in 2020)

- Mount Prospect
- Mundelein
- Niles
- Northbrook
- Oak Lawn
- Oak Park
- o Orland Park
- o Oswego
- Palatine
- Plainfield
- Romeoville

- o Cook
- o DeKalb
- DuPage
- o Grundy
- Jasper
- Kane
- Kankakee

Counties

- Kendall
- Kenosha
- o Lake, IL
- o Lake, IN
- McHenry
- Newton
- o Porter
- o Will
- Great Lakes

Regions

- Northern Illinois
- o Northern Indiana

- o Chicago Southland
- o Eastern Ridges and Lowlands
- o Fox Valley (Illinois River)

Sub-regions

- Golden Corridor
- o Illinois Technology and Research Corridor
- o North Shore (Chicago)
- Northwest Indiana

Illinois, United States

- \circ V
- \circ t
- ∘ e

State of Indiana

Indianapolis (capital)

- Index
- Outline
- Census-designated places
- City nicknames
- Climate
 - climate change
- o Fauna
- Geography
- Ghostlore
- History
- Hoosiers
- Music
- National Natural Landmarks

Topics

- NRHP listings
 - National Historic Landmarks
- Paleontology
- Protected areas
- Scouting
- Sports
- State historical markers
- State historic sites
- Symbols
- Tallest buildings
- Time
- Tourist attractions
- Transportation

- o Code
- Constitution
- Congressional districts
 - $\circ \ \ \text{delegations}$
- Elections
- Governor

Government

- ∘ list
- General Assembly
 - House
 - Senate
- o Supreme Court
- Taxation
- Abortion
- Culture
- o Crime
- Demographics
- o Economy

Society

- Education
- Gun laws
- Gambling
- Homelessness
- LGBT rights
- Politics

- Anderson
- Bloomington
- Carmel
- Columbus
- Crown Point
- Elkhart
- o Evansville
- Fishers
- Fort Wayne
- Gary
- Goshen
- Greenwood
- Hammond
- o Indianapolis
- o Jeffersonville
- o Kokomo

Largest cities

- Lafayette
- Lawrence
- Michigan City
- Mishawaka
- Muncie
- New Albany
- Noblesville
- Portage
- Richmond
- South Bend
- Terre Haute
- Valparaiso
- Westfield

- Avon
- o Brownsburg
- Clarksville
- o Highland
- Merrillville

Largest towns

- Munster
- Plainfield
- Saint John
- Schererville
- o Zionsville

- AdamsAllenBartholomew
- Benton
- Blackford
- o Boone
- o Brown
- o Carroll
- Cass
- Clark
- Clay
- Clinton
- Crawford
- Daviess
- o Dearborn
- o Decatur
- DeKalb
- o Delaware
- Dubois
- Elkhart
- Fayette
- Floyd
- Fountain
- Franklin
- Fulton
- Gibson
- Grant
- o Greene
- Hamilton

- o Central Indiana
 - o East Central Indiana
 - Wabash Valley
- Northern Indiana
 - Northwest Indiana

Regions

- o Chicago metropolitan area
- Michiana
- Southern Indiana
 - o Indiana Uplands
 - Kentuckiana
 - Southwestern Indiana

malndiana.portak_{nown}

Authority control databases Image not found or type unknown Edit this at Wikidata

VIAFInternational

WorldCat

United StatesNational

Israel

Geographic • MusicBrainz area


Other • NARA

About Maintenance


"Repair" and "repairman" redirect here. For home repair, see Home repair.

For the Wikipedia administrative page, see Wikipedia:Maintenance.

For other topics about maintenance, see Maintenance (disambiguation).



A tractor being mechanically repaired in Werneuchen, 1966



Field repair of aircraft engine (1915–1916)

The technical meaning of **maintenance** involves functional checks, servicing, repairing or replacing of necessary devices, equipment, machinery, building infrastructure and supporting utilities in industrial, business, and residential installations. [1][2] Terms such as "predictive" or "planned" maintenance describe various cost-effective practices aimed at keeping equipment operational; these activities occur either before [3] or after a potential failure.

Definitions

[edit]

Maintenance functions can be defined as **maintenance**, **repair and overhaul** (**MRO**), and MRO is also used for **maintenance**, **repair and operations**.[⁴] Over time, the terminology of maintenance and MRO has begun to become standardized. The United States Department of Defense uses the following definitions:[⁵]


- Any activity—such as tests, measurements, replacements, adjustments, and repairs—intended to retain or restore a functional unit in or to a specified state in which the unit can perform its required functions. [5]
- All action taken to retain material in a serviceable condition or to restore it to serviceability. It includes inspections, testing, servicing, classification as to serviceability, repair, rebuilding, and reclamation. [⁵]
- All supply and repair action taken to keep a force in condition to carry out its mission.
- The routine recurring work required to keep a facility (plant, building, structure, ground facility, utility system, or other real property) in such condition that it may be continuously used, at its original or designed capacity and efficiency for its intended purpose.

Maintenance is strictly connected to the utilization stage of the product or technical system, in which the concept of maintainability must be included. In this scenario, maintainability is considered as the ability of an item, under stated conditions of use, to be retained in or restored to a state in which it can perform its required functions, using prescribed procedures and resources. [6]

In some domains like aircraft maintenance, terms *maintenance*, *repair and overhaul*[⁷] also include inspection, rebuilding, alteration and the supply of spare parts, accessories, raw materials, adhesives, sealants, coatings and consumables for aircraft maintenance at the utilization stage. In international civil aviation maintenance means:

 The performance of tasks required to ensure the continuing airworthiness of an aircraft, including any one or combination of overhaul, inspection, replacement, defect rectification, and the embodiment of a modification or a repair.

This definition covers all activities for which aviation regulations require issuance of a maintenance release document (aircraft certificate of return to service – CRS).



Road repair

Types

[edit]

The marine and air transportation, [9] offshore structures, [10] industrial plant and facility management industries depend on *maintenance, repair and overhaul* (MRO) including scheduled or preventive paint maintenance programmes to maintain and restore coatings applied to steel in environments subject to attack from

erosion, corrosion and environmental pollution. [10]


The basic types of maintenance falling under MRO include:

- Preventive maintenance, where equipment is checked and serviced in a planned manner (in a scheduled points in time or continuously)
- Corrective maintenance, where equipment is repaired or replaced after wear,
 malfunction or break down
- Reinforcement[1]

Architectural conservation employs MRO to preserve, rehabilitate, restore, or reconstruct historical structures with stone, brick, glass, metal, and wood which match the original constituent materials where possible, or with suitable polymer technologies when not. [12]

Preventive maintenance

[edit]



C-130J Hercules preventive cleaning at Keesler Air Force Base, Mississippi after a period of operation over the Gulf of Mexico (salt and moisture which lead to active corrosion require regular cleaning)

Preventive maintenance (**PM**) is "a routine for periodically inspecting" with the goal of "noticing small problems and fixing them before major ones develop." [¹³] Ideally, "nothing breaks down." [¹⁴]

The main goal behind PM is for the equipment to make it from one planned service to the next planned service without any failures caused by fatigue, extreme fluctuation in temperature(such as heat waves [¹⁵]) during seasonal changes, neglect, or normal wear (preventable items), which Planned Maintenance and Condition Based Maintenance help to achieve by replacing worn components before they actually fail. Maintenance activities include partial or complete overhauls at specified periods, oil changes, lubrication, minor adjustments, and so on. In addition, workers can record equipment deterioration so they know to replace or repair worn parts before they cause system failure.

The New York Times gave an example of "machinery that is not lubricated on schedule" that functions "until a bearing burns out." Preventive maintenance contracts are generally a fixed cost, whereas improper maintenance introduces a variable cost: replacement of major equipment. [13]

Main objective of PM are:

- 1. Enhance capital equipment productive life.
- 2. Reduce critical equipment breakdown.
- 3. Minimize production loss due to equipment failures.

Preventive maintenance or **preventative**[¹⁶] **maintenance** (**PM**) has the following meanings:

- The care and servicing by personnel for the purpose of maintaining equipment in satisfactory operating condition by providing for systematic inspection, detection, and correction of incipient failures either before they occur or before they develop into major defects.
- The work carried out on equipment in order to avoid its breakdown or malfunction. It is a regular and routine action taken on equipment in order to prevent its breakdown.
- Maintenance, including tests, measurements, adjustments, parts replacement,
 and cleaning, performed specifically to prevent faults from occurring.

Other terms and abbreviations related to PM are:

- scheduled maintenance [18]
- planned maintenance, [¹⁹] which may include scheduled downtime for equipment replacement
- $_{\circ}\,$ planned preventive maintenance (PPM) is another name for PM $[^{20}]$
- breakdown maintenance: [²⁰] fixing things only when they break. This is also known as "a reactive maintenance strategy" [²¹] and may involve "consequential damage." [²²]

Planned maintenance

[edit]

"Routine maintenance" redirects here. For the album by Aaron West and the Roaring Twenties, see Routine Maintenance (album).

Planned preventive maintenance (PPM), more commonly referred to as simply **planned maintenance (PM)** or **scheduled maintenance**, is any variety of

scheduled maintenance to an object or item of equipment. Specifically, planned maintenance is a scheduled service visit carried out by a competent and suitable agent, to ensure that an item of equipment is operating correctly and to therefore avoid any unscheduled breakdown and downtime. [²³]

The key factor as to when and why this work is being done is timing, and involves a service, resource or facility being unavailable. [¹⁸][¹⁹] By contrast, condition-based maintenance is not directly based on equipment age.

Planned maintenance is preplanned, and can be date-based, based on equipment running hours, or on distance travelled.

Parts that have scheduled maintenance at fixed intervals, usually due to wearout or a fixed shelf life, are sometimes known as time-change interval, or TCI items.

Predictive maintenance

[edit]

Main article: Predictive maintenance

Predictive maintenance techniques are designed to help determine the condition of in-service equipment in order to estimate when maintenance should be performed. This approach promises cost savings over routine or time-based preventive maintenance, because tasks are performed only when warranted. Thus, it is regarded as condition-based maintenance carried out as suggested by estimations of the degradation state of an item. The main promise of predictive maintenance is to allow convenient scheduling of corrective maintenance, and to prevent unexpected equipment failures. [³] This maintenance strategy uses sensors to monitor key parameters within a machine or system, and uses this data

in conjunction with analysed historical trends to continuously evaluate the system health and predict a breakdown before it happens. $[^{24}]$ This strategy allows maintenance to be performed more efficiently, since more up-to-date data is obtained about how close the product is to failure. $[^{25}]$

Predictive replacement is the replacement of an item that is still functioning properly. [26] Usually it is a tax-benefit based $^{[]}$ citation needed $^{]}$ replacement policy whereby expensive equipment or batches of individually inexpensive supply items are removed and donated on a predicted/fixed shelf life schedule. These items are given to tax-exempt institutions. [27] $^{[]}$ citation needed $^{[]}$

Condition-based maintenance

[edit]

Condition-based maintenance (CBM), shortly described, is maintenance when need arises. Albeit chronologically much older, It is considered one section or practice inside the broader and newer predictive maintenance field, where new Al technologies and connectivity abilities are put to action and where the acronym CBM is more often used to describe 'condition Based Monitoring' rather than the maintenance itself. CBM maintenance is performed after one or more indicators show that equipment is going to fail or that equipment performance is deteriorating.

This concept is applicable to mission-critical systems that incorporate active redundancy and fault reporting. It is also applicable to non-mission critical systems that lack redundancy and fault reporting.

Condition-based maintenance was introduced to try to maintain the correct equipment at the right time. CBM is based on using real-time data to prioritize and optimize maintenance resources. Observing the state of the system is known as condition monitoring. Such a system will determine the equipment's health, and act only when maintenance is actually necessary. Developments in recent years have allowed extensive instrumentation of equipment, and together with better tools for analyzing condition data, the maintenance personnel of today is more than ever able to decide what is the right time to perform maintenance on some piece of equipment. Ideally, condition-based maintenance will allow the maintenance personnel to do only the right things, minimizing spare parts cost, system downtime and time spent on maintenance.

Challenges

[edit]

Despite its usefulness of equipment, there are several challenges to the use of CBM. First and most important of all, the initial cost of CBM can be high. It requires improved instrumentation of the equipment. Often the cost of sufficient instruments can be quite large, especially on equipment that is already installed. Wireless systems have reduced the initial cost. Therefore, it is important for the installer to decide the importance of the investment before adding CBM to all equipment. A result of this cost is that the first generation of CBM in the oil and gas industry has only focused on vibration in heavy rotating equipment.

Secondly, introducing CBM will invoke a major change in how maintenance is performed, and potentially to the whole maintenance organization in a company.

Organizational changes are in general difficult.

Also, the technical side of it is not always as simple. Even if some types of equipment can easily be observed by measuring simple values such as vibration (displacement, velocity or acceleration), temperature or pressure, it is not trivial to turn this measured data into actionable knowledge about the health of the equipment.

Value potential

[edit]

As systems get more costly, and instrumentation and information systems tend to become cheaper and more reliable, CBM becomes an important tool for running a plant or factory in an optimal manner. Better operations will lead to lower production cost and lower use of resources. And lower use of resources may be one of the most important differentiators in a future where environmental issues become more important by the day.

Another scenario where value can be created is by monitoring the health of a car motor. Rather than changing parts at predefined intervals, the car itself can tell you when something needs to be changed based on cheap and simple instrumentation.

It is Department of Defense policy that condition-based maintenance (CBM) be "implemented to improve maintenance agility and responsiveness, increase operational availability, and reduce life cycle total ownership costs". [28]

Advantages and disadvantages

[edit]

CBM has some advantages over planned maintenance:

Improved system reliability

Decreased maintenance costs

o Decreased number of maintenance operations causes a reduction of human

error influences

Its disadvantages are:

o High installation costs, for minor equipment items often more than the value of

the equipment

o Unpredictable maintenance periods cause costs to be divided unequally.

o Increased number of parts (the CBM installation itself) that need maintenance

and checking.

Today, due to its costs, CBM is not used for less important parts of machinery

despite obvious advantages. However it can be found everywhere where increased

safety is required, and in future will be applied even more widely. $[^{29}][^{30}]$

Corrective maintenance

[edit]

Main article: Corrective maintenance

Corrective maintenance is a type of maintenance used for equipment after equipment break down or malfunction is often most expensive – not only can worn equipment damage other parts and cause multiple damage, but consequential repair and replacement costs and loss of revenues due to down time during overhaul can be significant. Rebuilding and resurfacing of equipment and infrastructure damaged by erosion and corrosion as part of corrective or preventive maintenance programmes involves conventional processes such as welding and metal flame spraying, as well as engineered solutions with thermoset polymeric materials. [31]

See also



Look up *repair* or *revamping* in Wiktionary, the free dictionary.

- Active redundancy Design concept
- Aircraft maintenance Performance of tasks which maintain an aircraft's airworthiness
- Aircraft maintenance checks Periodic scheduled inspection performed on aircraft to keep it airworthy
- Auto maintenance Periodic maintenance of motor vehicles
- Bicycle maintenance tools specifically for working on bicycles
- o Bus garage Storage and maintenance facility
- Darning Sewing technique for repairing holes or worn areas in fabric or knitting using needle and thread
- o Department of Defense Dictionary of Military and Associated Terms

- Design for repair Procedure and discipline in various fields
- Fault reporting Maintenance concept
- Intelligent maintenance system System that uses collected data from machinerys
- Kludge Unmaintainable solution
- Logistics center hub for logistics
- Maintainability Ease of maintaining a functioning product or service
- Motive power depot Rail yard for cleaning, repairing and maintaining locomotives
- Operational availability Measurement of the actual versus predicted uptime of a system
- Operational maintenance Basic maintenance done by operators of the equipment
- Predictive maintenance Method to predict when equipment should be maintained
- Product lifecycle Duration of processing of products from inception, to engineering, design & manufacture
- Prognostics prediction of the time at which a system or a component will malfunction
- o RAMS Engineering characterization of a product or system
- o Reliability centered maintenance Concept of maintenance planning
- Reliability engineering Sub-discipline of systems engineering that emphasizes dependability
- Repair shop
- Remanufacturing Rebuilding of product to original manufactured product using combo of reused and new parts
- Right to repair Legal right and movement

- o Total productive maintenance Maintenance management methodology
- Value-driven maintenance

References

- 1. A "Defense Logistics Agency". DLA.mil. Retrieved 5 August 2016.
- 2. A "European Federation of National Maintenance Societies". EFNMS.org. Retrieved 5
 August 2016. "All actions which have the objective of retaining or restoring an item in or
 to a state in which it can perform its required function. These include the combination of
 all technical and corresponding administrative, managerial, and supervision actions."
- 3. ^ a b Ken Staller. "Defining Preventive & Predictive Maintenance".
- 4. **^** "MRO − Definition". RF System Lab.
- 5. ^ *a b c d e* Federal Standard 1037C and from MIL-STD-188 and from the Department of Defense Dictionary of Military and Associated Terms
- 6. A "AAP-6 Glossary of terms and definitions". NATO Standardization Agency. North Atlantic Treaty Organization: 158.
- 7. A United States Code of Federal Regulations Title 14, Part 43 Maintenance, Preventive Maintenance, Rebuilding, and Alteration
- 8. A Airworthiness Manual, Doc 9760 (3 ed.). Montreal (Canada): International Civil Aviation Organization. 2014. p. 375. ISBN 978-92-9249-454-4. Archived from the original on 2018-09-01. Retrieved 2018-02-18. "The Airworthiness Manual (Doc 9760) contains a consolidation of airworthiness-related information previously found in other ICAO documents ... provides guidance to States on how to meet their airworthiness responsibilities under the Convention on International Civil Aviation. This third edition is presented based on States' roles and responsibilities, thus as State of Registry, State of the Operator, State of Design and State of Manufacture. It also describes the interface between different States and their related responsibilities. It has been updated to incorporate changes to Annex 8 to the Chicago Convention Airworthiness of Aircraft, and to Annex 6 Operation of Aircraft"
- 9. A Berendsen, A. M.; Springer (2013). Marine Painting Manual (1st ed.). ISBN 978-90-481-8244-2.

- ^ a b ISO 12944-9:2018 Paints and Varnishes Corrosion Protection of Steel Structures by Protective Paint Systems – Part 9: Protective Paint Systems and Laboratory Performance Test Methods for Offshore and Related Structures.
- 11. ▲ Singhvi, Anjali; Gröndahl, Mika (January 1, 2019). "What's Different in the M.T.A.'s New Plan for Repairing the L Train Tunnel". The New York Times.
- 12. A Charles Velson Horie (2010). Materials for Conservation: Organic Consolidants, Adhesives and Coatings (2nd ed.). Butterworth-Heinemann. ISBN 978-0-75-066905-4.
- 13. ^ **a b** Micharl Decourcy Hinds (February 17, 1985). "Preventive Maintenance: A Checklist". The New York Times.
- 14. ▲ Erik Sandberg-Diment (August 14, 1984). "Personal computers preventive maintenance for an aging computer". The New York Times.
- 15. ▲ "6 Tips to Keep Your Machine Cool in Summer | Al Marwan". Al Marwan Heavy Machinery. Retrieved 2024-06-20.
- 16. ▲ Ben Zimmer (April 18, 2010). "Wellness". The New York Times. "Complaints about preventative go back to the late 18th century ... ("Oxford English Dictionary dates preventive to 1626 and preventative to 1655) ..preventive has won""
- 17. A O. A. Bamiro; D. Nzediegwu; K. A. Oladejo; A. Rahaman; A. Adebayo (2011). Mastery of Technology for Junior School Certificate Examination. Ibadan: Evans Brothers (Nigeria Publishers) Limited.
- 18. ^ **a b** "CPOL: System Maintenance and Downtime Announcements". Archived from the original on October 2, 2008. Retrieved March 21, 2019. "... out of service from 6:00–7:00am Eastern for regularly scheduled maintenance."
- 19. ^ **a b** "Dodge City Radar Planned Maintenance". weather.gov (National Weather Service). "... will be down for approximately five days"
- 20. ^ **a b** "The development of a cost benefit analysis method for monitoring the condition of batch" (PDF). Archived (PDF) from the original on March 22, 2019.
- 21. A "What is PPM Maintenance?".
- 22. A e.g. from leaks that could have been prevented
- 23. A Wood, Brian (2003). Building care. Wiley-Blackwell. ISBN 978-0-632-06049-8. Retrieved 2011-04-22.
- 24. A Garcia, Mari Cruz; Sanz-Bobi, Miguel A.; Del Pico, Javier (August 2006), "SIMAP: Intelligent System for Predictive Maintenance: Application to the health condition monitoring of a windturbine gearbox", Computers in Industry, **57** (6): 552–568,

- doi:10.1016/j.compind.2006.02.011
- 25. ▲ Kaiser, Kevin A.; Gebraeel, Nagi Z. (12 May 2009), "Predictive Maintenance Management Using Sensor-Based Degradation Models", IEEE Transactions on Systems, Man, and Cybernetics Part A: Systems and Humans, 39 (4): 840–849, doi:10.1109/TSMCA.2009.2016429, hdl:1853/56106, S2CID 5975976
- ↑ "Spacewalking Astronauts Swap Out Space Station's Batteries". The New York Times. March 22, 2019. Retrieved March 22, 2019.
- 27. A such as universities and local schools, which write government-acceptable receipts
- 28. A CBM Policy Memorandum.
- 29. A Liu, Jie; Wang, Golnaraghi (2010). "An enhanced diagnostic scheme for bearing condition monitoring". IEEE Transactions on Instrumentation and Measurement. **59** (2): 309–321. Bibcode:2010ITIM...59..309L. doi:10.1109/tim.2009.2023814. S2CID 1892843.
- 30. A Jardine, A.K.S.; Lin, Banjevic (2006). "A review on machinery diagnostics and prognostics implementing condition-based maintenance". Mechanical Systems and Signal Processing. **20** (7): 1483–1510. Bibcode:2006MSSP...20.1483J. doi:10.1016/j.ymssp.2005.09.012.
- 31. A Industrial Polymer Applications: Essential Chemistry and Technology (1st ed.). United Kingdom: Royal Society of Chemistry. 2016. ISBN 978-1782628149.
 - This article incorporates public domain material from Federal Standard 1037C. Public Domain
 General Services Administration. Archived from the original on 2022-01-22. (in support of MIL-STD-188).

Bibliography

[edit]

Maintenance Planning, Coordination & Scheduling, by Don Nyman & Joel Levitt
 Maintenance ISBN 978-0831134181

The Care of Things. Ethics and Politics of maintenance, by Jérôme Denis & David
 Pontille, Polity Press ISBN 978-1509562381

Sources

[edit]

 Smith, Maj. Ricky. "Walter Reed Building 18 – It Could Happen Anywhere – So Don't Let It Happen To You". Archived from the original on March 9, 2012.

Further reading

[edit]

Wu, S.; Zuo, M.J. (2010). "Linear and nonlinear preventive maintenance" (PDF). IEEE Transactions on Reliability. 59 (1): 242–249. doi:10.1109/TR.2010.2041972.
 S2CID 34832834. Archived (PDF) from the original on 2016-08-18.

Authority control databases Image not found or type unknown Edit this at Wikidata

International • FAST

United States

FranceNational

o BnF data

Israel

About Coil spring

A coil springtime is a mechanical gadget that typically is used to keep energy and consequently release it, to soak up shock, or to maintain a force between getting in touch with surfaces. It is made from an elastic material formed right into the shape of a helix that returns to its natural size when unloaded. Under stress or compression, the product (wire) of a coil spring undergoes torsion. The spring characteristics as a result rely on the shear modulus. A coil spring might additionally be used as a torsion springtime: in this case the spring all at once is subjected to torsion concerning its helical axis. The product of the springtime is thus subjected to a flexing moment, either decreasing or enhancing the helical span. In this mode, it is the Young's modulus of the material that determines the springtime features.


.

About Garage door


A garage door is a large door to enable accessibility to a garage that opens up either manually or by an electric motor (a garage door opener). Garage doors are regularly big enough to fit cars and various other cars. The operating mechanism is normally spring-loaded or counteracted to counter the door's weight and decrease the human or electric motor effort needed to run the door. Much less generally, some garage doors slide or swing horizontally. Doors are constructed from timber, steel, or fiberglass, and might be insulated to avoid heat loss.

.

About Spring (device)




Helical coil springs designed for tension




A heavy-duty coil spring designed for compression and tension




The English longbow – a simple but very powerful spring made of yew, measuring 2 m (6 ft 7 in) long, with a 470 N (105 lbf) draw weight, with each limb functionally a cantilever spring.



Force (F) vs extension (s). *citation needed* Spring characteristics: (1) progressive, (2) linear, (3) degressive, (4) almost constant, (5) progressive with knee



A machined spring incorporates several features into one piece of bar stock



Military booby trap firing device from USSR (normally connected to a tripwire) showing spring-loaded firing pin

A **spring** is a device consisting of an elastic but largely rigid material (typically metal) bent or molded into a form (especially a coil) that can return into shape after being compressed or extended. [1] Springs can store energy when compressed. In everyday use, the term most often refers to coil springs, but there are many different spring designs. Modern springs are typically manufactured from spring steel. An example of a non-metallic spring is the bow, made traditionally of flexible yew wood, which when drawn stores energy to propel an arrow.

When a conventional spring, without stiffness variability features, is compressed or stretched from its resting position, it exerts an opposing force approximately proportional to its change in length (this approximation breaks down for larger deflections). The *rate* or *spring constant* of a spring is the change in the force it exerts, divided by the change in deflection of the spring. That is, it is the gradient of the

force versus deflection curve. An extension or compression spring's rate is expressed in units of force divided by distance, for example or N/m or lbf/in. A torsion spring is a spring that works by twisting; when it is twisted about its axis by an angle, it produces a torque proportional to the angle. A torsion spring's rate is in units of torque divided by angle, such as N·m/rad or ft·lbf/degree. The inverse of spring rate is compliance, that is: if a spring has a rate of 10 N/mm, it has a compliance of 0.1 mm/N. The stiffness (or rate) of springs in parallel is additive, as is the compliance of springs in series.

Springs are made from a variety of elastic materials, the most common being spring steel. Small springs can be wound from pre-hardened stock, while larger ones are made from annealed steel and hardened after manufacture. Some non-ferrous metals are also used, including phosphor bronze and titanium for parts requiring corrosion resistance, and low-resistance beryllium copper for springs carrying electric current.

History

[edit]

Simple non-coiled springs have been used throughout human history, e.g. the bow (and arrow). In the Bronze Age more sophisticated spring devices were used, as shown by the spread of tweezers in many cultures. Ctesibius of Alexandria developed a method for making springs out of an alloy of bronze with an increased proportion of tin, hardened by hammering after it was cast.


Coiled springs appeared early in the 15th century, $[^2]$ in door locks. $[^3]$ The first spring powered-clocks appeared in that century $[^3][^4][^5]$ and evolved into the first large watches by the 16th century.

In 1676 British physicist Robert Hooke postulated Hooke's law, which states that the force a spring exerts is proportional to its extension.


On March 8, 1850, John Evans, Founder of John Evans' Sons, Incorporated, opened his business in New Haven, Connecticut, manufacturing flat springs for carriages and other vehicles, as well as the machinery to manufacture the springs. Evans was a Welsh blacksmith and springmaker who emigrated to the United States in 1847, John Evans' Sons became "America's oldest springmaker" which continues to operate today. [6]

Types


[edit]




A spiral torsion spring, or hairspring, in an alarm clock.




Battery contacts often have a variable spring




A volute spring. Under compression the coils slide over each other, so affording longer travel.




Vertical volute springs of Stuart tank




Selection of various arc springs and arc spring systems (systems consisting of inner and outer arc springs).



Tension springs in a folded line reverberation device.



A torsion bar twisted under load



Leaf spring on a truck

Classification

[edit]

Springs can be classified depending on how the load force is applied to them:

Tension/extension spring

The spring is designed to operate with a tension load, so the spring stretches as the load is applied to it.

Compression spring

Designed to operate with a compression load, so the spring gets shorter as the load is applied to it.

Torsion spring

Unlike the above types in which the load is an axial force, the load applied to a torsion spring is a torque or twisting force, and the end of the spring rotates through an angle as the load is applied.

Constant spring

Supported load remains the same throughout deflection cycle [7]

Variable spring

Resistance of the coil to load varies during compression [8]

Variable stiffness spring

Resistance of the coil to load can be dynamically varied for example by the control system, some types of these springs also vary their length thereby providing actuation capability as well [9]

They can also be classified based on their shape:

Flat spring

Made of a flat spring steel.

Machined spring

Manufactured by machining bar stock with a lathe and/or milling operation rather than a coiling operation. Since it is machined, the spring may incorporate features in addition to the elastic element. Machined springs can be made in the typical load cases of compression/extension, torsion, etc.

Serpentine spring

A zig-zag of thick wire, often used in modern upholstery/furniture.

Garter spring

A coiled steel spring that is connected at each end to create a circular shape.

Common types

[edit]

The most common types of spring are:

Cantilever spring

A flat spring fixed only at one end like a cantilever, while the free-hanging end takes the load.

Coil spring

Also known as a helical spring. A spring (made by winding a wire around a cylinder) is of two types:

- Tension or extension springs are designed to become longer under load. Their turns (loops) are normally touching in the unloaded position, and they have a hook, eye or some other means of attachment at each end.
- Compression springs are designed to become shorter when loaded. Their turns
 (loops) are not touching in the unloaded position, and they need no
 attachment points.
- Hollow tubing springs can be either extension springs or compression springs.
 Hollow tubing is filled with oil and the means of changing hydrostatic pressure inside the tubing such as a membrane or miniature piston etc. to harden or relax the spring, much like it happens with water pressure inside a garden hose. Alternatively tubing's cross-section is chosen of a shape that it changes its area when tubing is subjected to torsional deformation: change of the cross-section area translates into change of tubing's inside volume and the

flow of oil in/out of the spring that can be controlled by valve thereby controlling stiffness. There are many other designs of springs of hollow tubing which can change stiffness with any desired frequency, change stiffness by a multiple or move like a linear actuator in addition to its spring qualities.

Arc spring

A pre-curved or arc-shaped helical compression spring, which is able to transmit a torque around an axis.

Volute spring

A compression coil spring in the form of a cone so that under compression the coils are not forced against each other, thus permitting longer travel.

Balance spring

Also known as a hairspring. A delicate spiral spring used in watches, galvanometers, and places where electricity must be carried to partially rotating devices such as steering wheels without hindering the rotation.

Leaf spring

A flat spring used in vehicle suspensions, electrical switches, and bows.

V-spring

Used in antique firearm mechanisms such as the wheellock, flintlock and percussion cap locks. Also door-lock spring, as used in antique door latch mechanisms. [10]

Other types

Other types include:

Belleville washer

A disc shaped spring commonly used to apply tension to a bolt (and also in the initiation mechanism of pressure-activated landmines)

Constant-force spring

A tightly rolled ribbon that exerts a nearly constant force as it is unrolled Gas spring

A volume of compressed gas.

Ideal spring

An idealised perfect spring with no weight, mass, damping losses, or limits, a concept used in physics. The force an ideal spring would exert is exactly proportional to its extension or compression. [1]

Mainspring

A spiral ribbon-shaped spring used as a power store of clockwork mechanisms: watches, clocks, music boxes, windup toys, and mechanically powered flashlights

Negator spring

A thin metal band slightly concave in cross-section. When coiled it adopts a flat cross-section but when unrolled it returns to its former curve, thus producing a constant force throughout the displacement and *negating* any tendency to re-wind. The most common application is the retracting steel tape rule. [12]

Progressive rate coil springs

A coil spring with a variable rate, usually achieved by having unequal distance between turns so that as the spring is compressed one or more coils rests against its neighbour.

Rubber band

A tension spring where energy is stored by stretching the material.

Spring washer

Used to apply a constant tensile force along the axis of a fastener.

Torsion spring

Any spring designed to be twisted rather than compressed or extended. [¹³] Used in torsion bar vehicle suspension systems.

Wave spring

various types of spring made compact by using waves to give a spring effect.

Main article: Wave spring

Physics

[edit]

Hooke's law

[edit]

Main article: Hooke's law

An ideal spring acts in accordance with Hooke's law, which states that the force with which the spring pushes back is linearly proportional to the distance from its equilibrium length:

modispłowstyle peznykown

where

is the displacement vector – the distance from its equilibrium length.

is the resulting force vector – the magnitude and direction of the restoring force the spring exerts

is the rate spring constant or force constant of the spring, a constant that depends on the spring's material and construction. The negative sign indicates that the force the spring exerts is in the opposite direction from its displacement

Most real springs approximately follow Hooke's law if not stretched or compressed beyond their elastic limit.

Coil springs and other common springs typically obey Hooke's law. There are useful springs that don't: springs based on beam bending can for example produce forces that vary nonlinearly with displacement.

If made with constant pitch (wire thickness), conical springs have a variable rate. However, a conical spring can be made to have a constant rate by creating the spring with a variable pitch. A larger pitch in the larger-diameter coils and a smaller pitch in the smaller-diameter coils forces the spring to collapse or extend all the coils at the same rate when deformed.


Simple harmonic motion

[edit]

Main article: Harmonic oscillator

Since force is equal to mass, *m*, times acceleration, *a*, the force equation for a spring obeying Hooke's law looks like:

hdisplaystyle f=mahquad \Rightarrow \quad -kx=ma.\,



The displacement, x, as a function of time. The amount of time that passes between peaks is called the period.

The mass of the spring is small in comparison to the mass of the attached mass and is ignored. Since acceleration is simply the second derivative of x with respect to time,

$$\displaystyle -kx=m\frac d^2xdt^2.\$$

Image not found or type unknown

This is a second order linear differential equation for the displacement as a found of type unknown to the displaystyle x function of time. Rearranging:

Image not found or type unknown

the solution of which is the sum of a sine and cosine:

displacement and velocity of the mass. The graph of this function with displacement with some positive initial velocity) is displayed in the image on the right.

Energy dynamics

[edit]

In simple harmonic motion of a spring-mass system, energy will fluctuate between kinetic energy and potential energy, but the total energy of the system remains the same. A spring that obeys Hooke's law with spring constant k will have a total system energy E of:[14]

 $\displaystyle E = \left(\frac{12 \cdot 12}{12} \right) kA^2$

Image not found or type unknown

Here, A is the amplitude of the wave-like motion that is produced by the oscillating behavior of the spring.

The potential energy U of such a system can be determined through the spring constant k and its displacement x. [14]

Image not found or type unknown

The kinetic energy K of an object in simple harmonic motion can be found using the mass of the attached object m and the velocity at which the object oscillates v.[

\displaystyle K=\left(\frac 12\right)mv^2

Image not found or type unknown

Since there is no energy loss in such a system, energy is always conserved and thus:[14]

Frequency & period

[edit]

The angular frequency \boxtimes of an object in simple harmonic motion, given in radians per second, is found using the spring constant k and the mass of the oscillating object $m[^{15}]$:

The period T, the amount of time for the spring-mass system to complete one full cycle, of such harmonic motion is given by: $[^{16}]$

The frequency f, the number of oscillations per unit time, of something in simple harmonic motion is found by taking the inverse of the period: [14]

Theory

[edit]

In classical physics, a spring can be seen as a device that stores potential energy, specifically elastic potential energy, by straining the bonds between the atoms of

an elastic material.

Hooke's law of elasticity states that the extension of an elastic rod (its distended length minus its relaxed length) is linearly proportional to its tension, the force used to stretch it. Similarly, the contraction (negative extension) is proportional to the compression (negative tension).

This law actually holds only approximately, and only when the deformation (extension or contraction) is small compared to the rod's overall length. For deformations beyond the elastic limit, atomic bonds get broken or rearranged, and a spring may snap, buckle, or permanently deform. Many materials have no clearly defined elastic limit, and Hooke's law can not be meaningfully applied to these materials. Moreover, for the superelastic materials, the linear relationship between force and displacement is appropriate only in the low-strain region.

Hooke's law is a mathematical consequence of the fact that the potential energy of the rod is a minimum when it has its relaxed length. Any smooth function of one variable approximates a quadratic function when examined near enough to its minimum point as can be seen by examining the Taylor series. Therefore, the force – which is the derivative of energy with respect to displacement – approximates a linear function.

The force of a fully compressed spring is:

$$\displaystyle \int displaystyle F_max = \int d^4(L-nd)16(1+ nu)(D-d)^3n$$

Image not found or type unknown

where

E - Young's modulus

d - spring wire diameter

L - free length of spring


n – number of active windings

...- Poisson ratio Vaisplaystyle (nu


D - spring outer diameter.

Zero-length springs

[edit]



Simplified LaCoste suspension using a zero-length spring



Spring length L vs force F graph of ordinary (+), zero-length (0) and negative-length (-) springs with the same minimum length L_0 and spring constant

Zero-length spring is a term for a specially designed coil spring that would exert zero force if it had zero length. That is, in a line graph of the spring's force versus its length, the line passes through the origin. A real coil spring will not contract to zero

length because at some point the coils touch each other. "Length" here is defined as the distance between the axes of the pivots at each end of the spring, regardless of any inelastic portion in-between.

Zero-length springs are made by manufacturing a coil spring with built-in tension (A twist is introduced into the wire as it is coiled during manufacture; this works because a coiled spring *unwinds* as it stretches), so if it *could* contract further, the equilibrium point of the spring, the point at which its restoring force is zero, occurs at a length of zero. In practice, the manufacture of springs is typically not accurate enough to produce springs with tension consistent enough for applications that use zero length springs, so they are made by combining a *negative length* spring, made with even more tension so its equilibrium point would be at a *negative* length, with a piece of inelastic material of the proper length so the zero force point would occur at zero length.

A zero-length spring can be attached to a mass on a hinged boom in such a way that the force on the mass is almost exactly balanced by the vertical component of the force from the spring, whatever the position of the boom. This creates a horizontal pendulum with very long oscillation period. Long-period pendulums enable seismometers to sense the slowest waves from earthquakes. The LaCoste suspension with zero-length springs is also used in gravimeters because it is very sensitive to changes in gravity. Springs for closing doors are often made to have roughly zero length, so that they exert force even when the door is almost closed, so they can hold it closed firmly.

Uses

- Airsoft gun
- Aerospace
- Retractable ballpoint pens
- Buckling spring keyboards
- o Clockwork clocks, watches, and other things
- Firearms
- o Forward or aft spring, a method of mooring a vessel to a shore fixture
- Gravimeters
- Industrial Equipment
- o Jewelry: Clasp mechanisms
- Most folding knives, and switchblades
- Lock mechanisms: Key-recognition and for coordinating the movements of various parts of the lock.
- Spring mattresses
- Medical Devices[¹⁷]
- Pogo Stick
- o Pop-open devices: CD players, tape recorders, toasters, etc.
- Spring reverb
- o Toys; the Slinky toy is just a spring
- Trampoline
- Upholstery coil springs
- Vehicle suspension, Leaf springs

See also

- Shock absorber
- Slinky, helical spring toy
- Volute spring

References

- 1. A "spring". Oxford English Dictionary (Online ed.). Oxford University Press.
 (Subscription or participating institution membership required.) V. 25.
- 2. A Springs How Products Are Made, 14 July 2007.
- 3. ^ **a b** White, Lynn Jr. (1966). Medieval Technology and Social Change. New York: Oxford Univ. Press. pp. 126–27. ISBN 0-19-500266-0.
- 4. ▲ Usher, Abbot Payson (1988). A History of Mechanical Inventions. Courier Dover. p. 305. ISBN 0-486-25593-X.
- 5. ▲ Dohrn-van Rossum, Gerhard (1998). History of the Hour: Clocks and Modern Temporal Orders. Univ. of Chicago Press. p. 121. ISBN 0-226-15510-2.
- 6. A Fawcett, W. Peyton (1983), History of the Spring Industry, Spring Manufacturers Institute, Inc., p. 28
- 7. ^ Constant Springs Piping Technology and Products, (retrieved March 2012)
- 8. A Variable Spring Supports Piping Technology and Products, (retrieved March 2012)
- 9. A "Springs with dynamically variable stiffness and actuation capability". 3 November 2016. Retrieved 20 March 2018 via google.com. cite journal: Cite journal requires ljournal= (help)
- 10. ▲ "Door Lock Springs". www.springmasters.com. Retrieved 20 March 2018.
- 11. A Edwards, Boyd F. (27 October 2017). The Ideal Spring and Simple Harmonic Motion (Video). Utah State University via YouTube. Based on Cutnell, John D.; Johnson, Kenneth W.; Young, David; Stadler, Shane (2015). "10.1 The Ideal Spring and Simple Harmonic Motion". Physics. Hoboken, NJ: Wiley. ISBN 978-1-118-48689-4.

OCLC 892304999.

- 12. A Samuel, Andrew; Weir, John (1999). Introduction to engineering design: modelling, synthesis and problem solving strategies (2 ed.). Oxford, England: Butterworth. p. 134. ISBN 0-7506-4282-3.
- 13. ▲ Goetsch, David L. (2005). Technical Drawing. Cengage Learning. ISBN 1-4018-5760-4
- 14. ^ a b c d e f g h "13.1: The motion of a spring-mass system". Physics LibreTexts. 17 September 2019. Retrieved 19 April 2021.
- 15. A "Harmonic motion". labman.phys.utk.edu. Retrieved 19 April 2021.
- 16. ▲ "simple harmonic motion | Formula, Examples, & Facts". Encyclopedia Britannica. Retrieved 19 April 2021.
- 17. A "Compression Springs". Coil Springs Direct.

Further reading

[edit]

- Sclater, Neil. (2011). "Spring and screw devices and mechanisms." *Mechanisms* and Mechanical Devices Sourcebook. 5th ed. New York: McGraw Hill. pp. 279–299.

 ISBN 9780071704427. Drawings and designs of various spring and screw mechanisms.
- Parmley, Robert. (2000). "Section 16: Springs." Illustrated Sourcebook of Mechanical Components. New York: McGraw Hill. ISBN 0070486174 Drawings, designs and discussion of various springs and spring mechanisms.
- Warden, Tim. (2021). "Bundy 2 Alto Saxophone." This saxophone is known for having the strongest tensioned needle springs in existence.

External links



mage not found or type unknown

Wikimedia Commons has media related to Spring (device).

- Paredes, Manuel (2013). "How to design springs". insa de toulouse. Retrieved 13 November 2013.
- Wright, Douglas. "Introduction to Springs". Notes on Design and Analysis of Machine Elements. Department of Mechanical & Material Engineering, University of Western Australia. Retrieved 3 February 2008.
- Silberstein, Dave (2002). "How to make springs". Bazillion. Archived from the original on 18 September 2013. Retrieved 3 February 2008.
- Springs with Dynamically Variable Stiffness (patent)
- Smart Springs and their Combinations (patent)

- 0 V
- \circ t
- ∘ **e**

Machines

- Inclined plane
- Lever
- Pulley

Classical simple machines

- o Screw
- Wedge
- Wheel and axle

Clocks	Chronometer
	o Pendulum clock
	 Quartz clock
Compressors and pumps	o Archimedes' screw
	 Eductor-jet pump
	 Hydraulic ram
	o Pump
	o Trompe
	Vacuum pump
External combustion engines	o Steam engine
	 Stirling engine
Internal combustion engines	o Gas turbine
	 Reciprocating engine
	Rotary engine
	 Nutating disc engine
Linkages	Pantograph
	 Peaucellier-Lipkin

o Atomic clock

- o Gas turbine
- Jet engine
- Steam turbine
- Water turbine
- Wind generator
- Windmill
- Sail
- Wing
- Rudder
 - o Flap
 - o Propeller
 - Vacuum tube
 - Transistor
 - Diode
 - Resistor
 - Capacitor
 - Inductor

Vehicles

Turbine

Aerofoil

Electronics

Automobile

- Mecha
- Robot
- Agricultural
- **Miscellaneous**
- Seed-counting machine
- Vending machine
- Wind tunnel
- Check weighing machines
- Riveting machines

Springs

Spring (device)


Authority control databases Image not found or type unknown Edit this at Wikidata

International


- FAST
- Germany
- United States
- France

National


- o BnF data
- Japan
- Czech Republic
- Israel




A telephone keypad using the ITU E.161 standard.



Numeric keypad, integrated with a computer keyboard



A calculator



1984 flier for projected capacitance keypad

A **keypad** is a block or pad of buttons set with an arrangement of digits, symbols, or alphabetical letters. Pads mostly containing numbers and used with computers are numeric keypads. Keypads are found on devices which require mainly numeric input such as calculators, television remotes, push-button telephones, vending machines, ATMs, point of sale terminals, combination locks, safes, and digital door

locks. Many devices follow the E.161 standard for their arrangement.

Uses and functions

[edit]

A computer keyboard usually has a small numeric keypad on the side, in addition to the other number keys on the top, but with a calculator-style arrangement of buttons that allow more efficient entry of numerical data. This number pad (commonly abbreviated to *numpad*) is usually positioned on the right side of the keyboard because most people are right-handed.

Many laptop computers have special function keys that turn part of the alphabetical keyboard into a numerical keypad as there is insufficient space to allow a separate keypad to be built into the laptop's chassis. Separate external plug-in keypads can be purchased.

Keypads for the entry of PINs and for product selection appear on many devices including ATMs, vending machines, point of sale payment devices, time clocks, combination locks and digital door locks.

Keypad technologies

[edit]

Apart from mechanical keypads, [¹][²][³] there are a wide range of technologies that can be used as keypads, each with distinctive advantages and disadvantages. These include Resistive, [⁴] Capacitive, [⁵] Inductive, [⁶] Piezoelectric, [⁷] and Optical. [⁸]

Key layout

[edit]

Further information: Telephone keypad § Layout

The first key-activated mechanical calculators and many cash registers used "parallel" keys with one column of 0 to 9 for each position the machine could use. A smaller, 10-key input first started on the Standard Adding Machine in 1901. [9] The calculator had the digit keys arranged in one row, with zero on the left, and 9 on the right. The modern four-row arrangement debuted with the Sundstrand Adding Machine in 1911. [10]

There is no standard for the layout of the four arithmetic operations, the decimal point, equal sign or other more advanced mathematical functions on the keypad of a calculator.

The invention of the push-button telephone keypad is attributed to John E. Karlin, an industrial psychologist at Bell Labs in Murray Hill, New Jersey. [11][12] On a telephone keypad, the numbers 1 through 9 are arranged from left to right, top to bottom with 0 in a row below 789 and in the center. Telephone keypads also have the special buttons labelled * (star) and # (octothorpe, number sign, "pound", "hex" or "hash") on either side of the zero key. The keys on a telephone may also bear letters which have had several auxiliary uses, such as remembering area codes or whole telephone numbers.

The layout of calculators and telephone number pads diverged because they developed at around the same time. The phone layout was determined to be fastest by Bell Labs testing for that application, and at the time it controlled all the publicly connected telephones in the United States.

Origin of the order difference

[edit]

Although calculator keypads pre-date telephone keypads by nearly thirty years, the top-to-bottom order for telephones was the result of research studies conducted by a Bell Labs Human Factors group led by John Karlin. They tested a variety of layouts including a Facit like the two-row arrangement, buttons in a circle, buttons in an arc, and rows of three buttons. [11] The definitive study was published in 1960: "Human Factor Engineering Studies of the Design and Use of Pushbutton Telephone Sets" by R. L. Deininger. [13][14] This study concluded that the adopted layout was best, and that the calculator layout was about 3% slower than the adopted telephone keypad.

Despite the conclusions obtained in the study, there are several popular theories and folk histories explaining the inverse order of telephone and calculator keypads.

- One popular theory suggests that the reason is similar to that given for the QWERTY layout, the unfamiliar ordering slowed users to accommodate the slow switches of the late 1950s and early 1960s. [15]
- Another explanation proposed is that at the time of the introduction of the telephone keypad, telephone numbers in the United States were commonly given out using alphabetical characters for the first two digits. Thus 555-1234 would be given out as KL5-1234. These alpha sequences were mapped to words. "27" was given out as "CRestview", "28" as "ATwood", etc. By placing the "1" key in the upper left, the alphabet was arranged in the normal left-to-right descending order for English characters. Additionally, on a rotary telephone, the "1" hole was at the top, albeit at the top right.

Keypad track design

[edit]




Figure 1. Keypad wiring methods: separate connections (left), x/y multiplexing (center), Charlieplexing (right).

Separate connections

[edit]

A mechanically-switched 16-key keypad can be connected to a host through 16 separate connecting leads, plus a ground lead (Figure 1, left). Pressing a key will short to ground, which is detected by the host. This design allows any number or combination of keys can be pressed simultaneously. Parallel-in serial-out shift registers may be used to save I/O pins.

X/Y multiplexing

[edit]

See also: Keyboard matrix circuit

These 16 + 1 leads can be reduced to just 8 by using x/y multiplexing (Figure 1, center). A 16-key keypad uses a 4 × 4 array of 4 I/O lines as outputs and 4 as inputs. A circuit is completed between an output and an input when a key is pressed. Each individual keypress creates a unique signal for the host. If required, and if the processor allows, two keys can be pressed at the same time without ambiguity. Adding diodes in series with each key prevents key ghosting, allowing multiple simultaneous presses.

Charlieplexing

[edit]

Main article: Charlieplexing

8 leads can detect many more keys if tri-state multiplexing (Figure 1, right) is used instead, which enables $(n-1) \times (n/2)$ keys to be detected with just n I/O lines. 8 I/O can detect 28 individual keys without ambiguity. Issues can occur with some combinations if two keys are pressed simultaneously. If diodes are used, then the number of unique keys detectable is doubled. [16]

See also

[edit]

- Arrow keys
- Charlieplexing
- Digital door lock
- Keyboard (computing)

- Keyboard matrix circuit
- Keyboard technology
- Key rollover
- Mobile phone
- Numeric keypad
- Push-button telephone
- Rotary dial
- Silicone rubber keypad
- Telephone keypad

References

[edit]

- Mechanical keypad". Retrieved 2023-12-17.
- 2. ^ "Mechanical keypads". Retrieved 2023-12-17.
- 3. ^ "Mechanical push-button keypad". Retrieved 2023-12-17.
- 4. ▲ "Resistive membrane keypad" (PDF). Retrieved 2023-12-19.
- 5. ^ "Capacitive keypads". Retrieved 2023-12-17.
- 6. ▲ "Inductive keypads" (PDF). Retrieved 2023-12-17.
- 7. ^ "Piezo keypads". Retrieved 2023-12-17.
- 8. ^ "Optical keypads". Retrieved 2023-12-17.
- 9. A "William and Hubert Hopkins machines". Retrieved 2017-07-18.
- 10. ▲ "Sundstrand Adding Machine Underwood Sundstrand". Retrieved 2017-07-18.
- 11. ^ **a b** Fox, Margalit (2013-02-08). "John E. Karlin, Who Led the Way to All-Digit Dialing, Dies at 94". The New York Times. Retrieved 2013-02-09.
- 12. ▲ "Monmouth man, inventor of touch-tone keypad, dies at 94". The Star-Ledger. 2013-02-09. Archived from the original on 2013-02-13. Retrieved 2013-02-09.

- 13. A Deininger, R. L. (July 1960). "Human Factor Engineering Studies of the Design and Use of Pushbutton Telephone Sets" (PDF). The Bell System Technical Journal. **39**: 995. doi:10.1002/j.1538-7305.1960.tb04447.x. Archived from the original (PDF) on 2014-01-24. Retrieved 2014-02-07.
- 14. ▲ Feldman, Dave (1987). Why Do Clocks Run Clockwise. New York, USA: Harper & Row.
- 15. ▲ "Why is the keypad arrangement different for a telephone and a calculator?". How Stuff Works. 2001-05-22. Retrieved 2014-02-07.
- 16. ^ "Touch sensor". Retrieved 2023-08-04.

External links



Look up keypad in Wiktionary, the free dictionary.

Interfacing Matrix Keypad to 8051 Controller

About Remote control

A remote, likewise known informally as a remote or clicker, is an electronic gadget used to run one more device from a distance, generally wirelessly. In customer electronic devices, a remote control can be made use of to run gadgets such as a television set, DVD player or other digital home media home appliance. A remote can enable procedure of tools that run out hassle-free grab direct procedure of controls. They work best when used from a brief range. This is mainly a benefit feature for the individual. In many cases, push-button controls permit an individual to operate a gadget that they otherwise would not have the ability to reach, as

when a garage door opener is set off from outdoors. Early television remotes (1956—— 1977) utilized ultrasonic tones. Contemporary remotes are generally customer infrared devices which send out digitally coded pulses of infrared radiation. They control features such as power, quantity, channels, playback, track change, energy, fan rate, and various other functions. Push-button controls for these gadgets are generally little cordless handheld items with a selection of switches. They are utilized to readjust various settings such as tv channel, track number, and volume. The remote code, and hence the required remote control gadget, is normally specific to a product line. Nevertheless, there are global remotes, which replicate the remote created many major brand gadgets. Remotes in the 2000s include Bluetooth or Wi-Fi connectivity, activity sensor-enabled capabilities and voice control. Remotes for 2010s forward Smart Televisions may feature a standalone keyboard on the back side to facilitate typing, and be functional as a pointing tool.


.

About Crown Point, Indiana


Crown Point is a city in and the region seat of Lake Region, Indiana, United States. The populace was 34,884 per the 2023 American Neighborhood Survey. The city was incorporated in 1868. On October 31, 1834, Solon Robinson and his family ended up being the first settlers to an area that later came to be Crown Point. Because of its location, Crown Factor is called the "Center of Lake County". The city is surrounded by Merrillville to the north, Winfield to the eastern, Cedar Lake to the southwest, St. John to the west, and unincorporated Schererville to the northwest. The southern and southwestern components of Crown Factor border some unincorporated locations of Lake Area.

About Garage (residential)

"Garage (house)" redirects here. For the music style, see Garage house.



The Hermitage garage by Nicholas II in The State Hermitage, Saint Petersburg, Russia



Garage - in the style of the new objectivity - Frankfurt am Main

A 1901 newspaper article discussing a name for a private collection of automobiles

Image not found or type unknown

A 1901 newspaper article discussing a name for a private collection of automobiles, which mentions the word "garage" as being a possible choice except that that word was already in use in the broader sense of a place to store and repair them. Today the word *garage* has both senses; for example, *Jay Leno's Garage* is a series about his collection and other interesting collections, not merely the buildings that contain them.

US: /ĀÑaê°Ā,ÂÑaê°Ā,ĈâŒÑŒâE'Ā¢âEÑæâE'ĀçâEÑæâE'ĀçâE ĀÇâE'ĀÁæĀ Āçâ.¬â,,c-r ĀÑaêC'Ācâ,¬ĒœÃÑaê'Ācâ,¬ā,c-r ĀÑaêC'Ācâ,¬ĒœÃÑaê'Ācâ,¬ā,d-Ā,d-Ā,ÂRAHJ) is a walled, roofed structure with a door for storing a vehicle or vehicles that may be part of or attached to a home ("attached garage"), or a separate outbuilding or shed ("detached garage"). Residential garages typically have space for one or two cars, although three-car garages are used. When a garage is attached to a house, the garage typically has an entry door into the house, called the person door or man door, in contrast with the wider and taller door for vehicles, called the garage door, which can be opened to permit the entry and exit of a vehicle and then closed to secure the vehicle. A garage protects a vehicle from precipitation, and, if it is equipped with a locking garage door, it also protects the vehicle(s) from theft and vandalism. Most garages also serve multifunction duty as workshops for a variety of projects, including painting, woodworking, and assembly. Garages also may be used for other purposes as well, such as storage or entertainment.

Some garages have an electrical mechanism to automatically open or close the garage door when the homeowner presses a button on a small remote control, along with a detector that stops the movement of the garage if something is in the way of closing. Some garages have enough space, even with cars inside, for the

storage of items such as bicycles or a lawnmower; in some cases, there may even be enough space for a workshop or a man cave. Garages that are attached to a house may be built with the same external materials and roofing as the house. Garages that are not connected to the home may use a different style of construction from the house. Often in the Southern and rural United States garages not attached to the home and made from a timber frame with sheet metal coverings are known as "pole barns", but usually serve the same purpose as what is called a garage elsewhere. In some places, the term is used synonymously with "carport", though that term normally describes a structure that, while roofed, is not completely enclosed. A carport protects the vehicle to some degree from inclement weather, but it does not protect the vehicle from theft or vandalism.

The word *garage*, introduced to English in 1902, originates from the French word *garer*, meaning shelter. By 1908 the architect Charles Harrison Townsend was commenting in *The Builder* magazine that for the home of the car, we very largely use the French word 'garage', alternatively with what I think the more desirable English equivalent of 'motor house'". Today the word is polysemic because it can refer to a collection of vehicles as well as the building that contains them.

Residential garage insulation

[edit]

In northern climates, temperatures inside an uninsulated attached residential garage can decrease to freezing levels during the winter. Temperatures inside an uninsulated attached garage in temperate climates can reach uncomfortable levels during summer months. Extreme temperatures can be a source of energy waste and discomfort in adjoining living areas, due to heat transfer between the

garage and those areas. Homes with an attached garage often experience this "interface" problem. Insulating the outside of the building against the elements without extending the insulation to the wall separating the garage from the house, and/or the other garage walls and roof, can be a costly mistake. [3]

In Australia

[edit]

Australian homes typically have a two, one and a half or double car garage, with some newer houses having a triple garage, with one double door and one single door. Prior to the 1970s most of them were detached from the house, usually set further back with the driveway leading up past the side of the house, common with old fibreboard houses, but not uncommon with earlier brick houses. The most common doors on these garages were either two wooden barn style doors with a standard sized access door on the side of the garage or the B&D Rolla Door, which is described below.


The most common garage door to date in Australia is the B&D Rolla Door, having been around since 1956 and still in heavy use today. They are a corrugated flexible but strong sheet steel door, sliding up tracks and rolling around a drum mounted above the door opening on the inside of the garage. These come in manual and remote controlled electric (known as the Control-a-Door), with conversion kits available. Locking is provided by a key lock in the centre of the door moving two square sliding lock bars in and out of holes in the door tracks, locking and unlocking it, or by the solenoid lock in the automatic motor.

Newer homes feature more American styled tilting panel lift doors which slide up onto a track on the ceiling via a motor and chain drive. Since the late 1970s most if not all garages are attached, and throughout the 80's it became more common to have an access door into the home from the garage where design permitted, whereas it is commonplace now. Most older unit (apartment) blocks in Australia have garages on the ground floor accessible through a common hallway and access doors, all leading into a common driveway. Newer ones now have underground parking.


Australia has strict guidelines in place when building a home and the garage size must conform to the Australian Standards. The minimum size for a single garage is $3.0 \text{ m} \times 5.4 \text{ m} (9.8 \text{ ft} \times 17.7 \text{ ft})$ and a double is $5.4 \text{ m} \times 5.4 \text{ m} (17.7 \text{ ft} \times 17.7 \text{ ft})$. However, to comfortably fit two cars in a double garage it is typical to have a size of $6.0 \text{ m} \times 6.0 \text{ m} (19.7 \text{ ft} \times 19.7 \text{ ft})$.

In the United Kingdom

[edit]



Up-and-over garage door



Insulation of sectional garage door

British homes featuring a garage typically have a single or double garage either built into the main building, detached within the grounds (often in the back garden), or in a communal area.

Traditionally, garage doors were wooden, opening either as two leaves or sliding horizontally. Newer garages are fitted with metal up-and-over doors. Increasingly, in new homes, such doors are electrically operated.

Typically, a small British single garage is 8 by 16 feet (2.4 m × 4.9 m), a medium single garage is 9 by 18 feet (2.7 m × 5.5 m), and a large single garage is 10 by 20 feet (3.0 m × 6.1 m). Family sedans have become bigger than they were in the past, so the larger size has become a preferred option. A typical large family car like the Ford Mondeo is about 15 by 6 feet (4.6 m × 1.8 m), meaning that even with the larger size garage, it is necessary to park to one side to be able to open the driver's door wide enough to enter or exit the vehicle.

In the early days of the motor car, a garage played an important role in protecting the vehicle from the weather (particularly so as to reduce rust). It was also the case that early motor cars started more easily when they were warm, $[^5]$ so that keeping them in a garage rather than outside made it easier to get the engine going in the morning. Modern motor cars, however, are very well protected against rust, and modern engines start with no difficulty even in very cold conditions.

Early history

[edit]

The common term for these structures in the first decades of the 20th century was motor house. Many garages from before 1914 were pre-fabricated, typically by companies such as Norwich manufacturer Boulton & Paul Ltd. The style was usually in keeping with that of the house and its locale, however, they were mainly of timber construction and few have survived. [6]


E. Keynes Purchase, "honorary architect" to what was to become the Royal Automobile Club, did a lot of work on them and recommended in *The Car Illustrated* in 1902, that they be of brick construction with cement floor, an inspection pit, good electric lighting and a pulley system for removing parts of the car (in the early days of motoring many car owners were mechanical and engineering enthusiasts). [⁷]

The architecture of garages was ignored in the architectural journals despite famous architects such as Edwin Lutyens, Richard Barry Parker and Edgar Wood all designing garages for their wealthy clients. Charles Harrison Townsend was one of the few architects who put pen to paper (in *The Builder* in 1908) on the subject and recommended that the walls be glazed brick for ease of washing, air gratings to be low (petrol fumes are heavier than air), and drains half open to avoid build-up of gases. [8]


By 1910 corrugated iron and asbestos were being used instead of wood and garages became less imposing. From 1912 speculatively built houses in London were being built with motor houses. [9]

In North America

[edit]



Mobile homes with detached single car garages



Circa 1955 detached residential garage seen in Toledo, Ohio

Many garage doors open upward using an electric chain drive, which can often be automatically controlled from inside the resident's vehicle with a small radio transmitter. [10] Garages are connected to the nearest road with a driveway. Interior space for one or two cars is normal, and garages built after 1950 usually have a door that connects the garage directly to the interior of the house (an "attached garage"). Earlier garages were often detached and located in the back yard of the house, accessed either via a long driveway or from an alley.

In the past, garages were often separate buildings from the house ("detached garage"). On occasion, a garage would be built with an apartment above it, which could be rented out. As automobiles became more popular, the concept of attaching the garage directly to the home grew into a common practice. While a person with a separate garage must walk outdoors in every type of weather, a

person with an attached garage has a much shorter walk inside a building.

Around the start of the 21st century, companies began offering "portable garages" in the United States. Typically, these garages are made of metal, wood or vinyl and do not connect to the house or other structure, much like the garage built before 1950. This portable garages usually have a strongly reinforced floor to hold a heavy vehicle. Garages are also produced as composite fabric garages with metal frames that are lightweight and portable garage compared to traditional brickand-mortar or metal garage structures. [1]

Over the past fifteen years, the portable garage has further evolved into a modular garage or a partially prefabricated structure. The modular garage comes from a factory that assembles the garage in two sections and combines the two sections on location. Partially prefabricated garages are often larger and might even include an attic space or a second floor. Sections of the garage are preassembled and then setup on site over a few days time. [12] The Amish have become popular builders of portable, modular and partially prefabricated garages.

Common Garage Sizes in the United States

[edit]

Garage sizes in the United States vary depending on the number of vehicles they are designed to accommodate. While dimensions can differ based on specific needs and local building codes, typical sizes are as follows:


- One-car garage: Usually 12 to 18 feet wide and 20 to 30 feet deep, with a total area of 240 to 540 square feet.
- Two-car garage: Commonly 20 to 24 feet wide, maintaining the same depth,
 and covering 360 to 660 square feet.
- Three-car garage: Typically 30 to 36 feet wide, providing 600 to 1,260 square feet of space.
- Four-car garage: The largest standard size, ranging from 40 to 48 feet wide,
 with a total area of 800 to 1,600 square feet.

These dimensions offer enough space not only for vehicles but also for storage and accessibility. Garage sizes may vary depending on design preferences, vehicle types, and additional space requirements. [13]

Post frame garages

[edit]

See also: Barndominium



Post frame garage attached to traditional frame house

Often in more rural settings, detached post-frame garages are used to store farm and workshop equipment and can either be cold storage [14] or insulated for warm

Notable garages

[edit]

The first planned private garages appeared long before 1900. Early examples of planned public garages appeared at the same time. The first recorded public parking garage in the US (*Electric Vehicle Company Garage*,[¹⁷] Chicago) was built in 1898, in the UK (*Christal Palace Garage*,[¹⁸] London) in 1900 and in Germany (*Großgarage der Automüller G.m.b.H.*,[¹⁹] Berlin-Wilmersdorf) in 1901.

Possibly the oldest existing garage in the United Kingdom is in Southport Lancashire. It was the first motor house or garage to be depicted in an English motoring journal and was in The Autocar of 7 October 1899. It was owned by Dr W.W. Barratt, a local doctor and motoring pioneer and specially designed for his house at 29 Park Crescent Hesketh Park. A two-storey building that matched the style of the house; the ground floor garage having a concrete floor, heating, electric lighting, an engine pit and was fully equipped. The motor house is now in residential use. [20]

One of the oldest surviving private garages in Germany today is the 1903 finished *Automobil-Remise* (automobile carriage house) of Villa Esche by Henry van de Velde in Chemnitz. Carl Benz, the inventor of the automobile, had a tower built for himself in 1910, on the first floor a room for studying, on the ground floor car parking space. It still exists in Ladenburg, Germany.

Gallery of notable garages

[edit]



1919

0

Image not found or type unknown

1919

1938

0

0

Image not found or type unknown

1938


Garage of HäÆ'Ã,´tel Brion (1904)

Image not found or type unknown


Garage of Hôtel

Brion (1904)









Garages in Nizhny Novgorod

C

Image not found or type unknown

Garages in

Nizhny Novgorod

Old garages in Mannheim

0

Image not found or type unknown

Old garages in

Mannheim

Carhouses

[edit]

Garages in the United States and Canada used to store streetcars and buses are often referred to as carhouses or car barns. These storage facilities are either metal or brick structures used to store streetcars or buses away from the elements. In Britain they are referred to as bus depots or depots.

See also

[edit]

- Carport
- o Carriage house
- Parking
- Proof-of-parking

References

[edit]

- 1. A The Shorter Oxford Dictionary (1973)
- 2. A Minnis 2010, p. 74.
- 3. A "How to make your home energy efficient"; Howstuffworks.com
- 4. ▲ Berenice O. (17 August 2018). "Single & Double Garage Size (How Much Do You Need?)". BuildSearch. Retrieved 2018-12-13.
- 5. A "Starting Old Cars". Archived from the original on 2023-02-20. Retrieved 2013-05-24. "
 This whole operation takes a certain amount of time. On a 50-degree day, for instance, the car won't operate normally for at least 5 minutes of driving. On colder days you might spend 10-15 minutes "nursing" the car until it warms up to normal operating temperature. "
- 6. **^** Minnis 2010, pp. 77−78.
- 7. **^** Minnis 2010, p. 80.
- 8. A Minnis 2010, pp. 81-83.
- 9. A Minnis 2010, p. 86.
- ↑ "How Do Garage Door Remotes Work". garage-door.com. 2019. Archived from the original on 2021-09-22. Retrieved 2019-10-16.
- 11. ^ "Portable Garage WeatherPort". WeatherPort.
- 12. ▲ "Only 17 Hours to Build a Three Car Garage in Raymond, ME!". Sheds Unlimited. 2019-05-07. Retrieved 2020-01-20.
- 13. ▲ "Standard Garage Size: Dimensions + Diagrams". alansfactoryoutlet.com. 2022-09-14. Retrieved 2025-03-18.
- 14. A "Post Frame Cold Storage Building | Hoopeston, Illinois | FBi Buildings".
- 15. **∧** "Post-Frame Buildings".
- 16. **∧** "Post Frame Building Basics :: Sutherlands".
- 17. A Shannon Sanders McDonald: The parking garage. Design and evolution of a modern urban form, Washington 2007, p. 16
- 18. A Kathryn A. Morrison, John Minnis: Carscapes: The Motor Car, Architecture and Landscape in England, New Haven/London 2012, p. 167

- 19. ▲ René Hartmann: Die Hochgarage als neue Bauaufgabe Bauten und Projekte in Berlin bis 1933 (Magisterarbeit), Technische Universität Berlin 2009
- 20. **^** Minnis 2010, pp. 75−76.
 - Minnis, John (2010). "Practical yet Artistic: The Motor House 1895–1914". In Brandwood, Geoffrey K. (ed.). Living Leisure and Law: Eight Building Types in England 1800–1914. Reading: Spire Books in association with the Victorian Society. ISBN 9781904965-27-5. OCLC 835667261.

External links

[edit]

- Machine dictionary definition of garage at Wiktionary
- o Media related to Garages at Wikimedia Commons
- \circ V
- \circ t
- е

Rooms and spaces of a house

- o Bonus room
- o Common room
- o Den
- Dining room
- o Family room
- Garret
- Great room
- o Home cinema
- Keeping room
- Kitchen

Shared rooms

- o dirty kitchen
- o kitchenette
- Living room
- Gynaeceum
 - harem
- Andron
 - o man cave
- Recreation room
 - o billiard room
- o Shrine
- Study
- Sunroom

- o Bathroom
 - o toilet
- o Bedroom / Guest room
 - closet

Private rooms

- o Bedsit / Miniflat
- o Boudoir
- Cabinet
- Nursery

- o Atrium
- Balcony
- Breezeway
- o Conversation pit
- Cubby-hole
- Deck
- Elevator
 - o dumbwaiter
- Entryway/Genkan
- o Fireplace
 - hearth
- Foyer
- o Hall
- Hallway

Spaces

- Inglenook
- Lanai
- Loft
- Loggia
- Overhang
- Patio
- o Porch
 - o screened
 - sleeping
- o Ramp
- Secret passage
- Stairs/Staircase
- Terrace
- Veranda
- Vestibule

- o Attic
- Basement
- Carport
- o Cloakroom
- Closet
- o Crawl space
- Electrical room
- o Equipment room
- Furnace room / Boiler room
- Garage
- Janitorial closet
- Larder
- o Laundry room / Utility room / Storage room
- o Mechanical room / floor
- Pantry
- Root cellar
- Semi-basement
- o Storm cellar / Safe room
- o Studio
- Wardrobe
- o Wine cellar
- Wiring closet
- Workshop

Technical, utility and storage

- Antechamber
- o Ballroom
- Kitchen-related
 - o butler's pantry
 - buttery
 - saucery
 - o scullery
 - spicery
 - o still room
- Conservatory / Orangery
- Courtyard
- Drawing room
- o Great chamber

Great house areas

- Great hall
- Library
- Long gallery
- Lumber room
- Parlour
- Sauna
- o Servants' hall
- o Servants' quarters
- Smoking room
- Solar
- State room
- Swimming pool
- Turret
- o Undercroft

- Furniture
- o Hidden room
- House
 - o house plan
 - o styles
 - o types

Other

- Multi-family residential
- Secondary suite
- o Duplex
- Terraced
- Detached
- o Semi-detached
- Townhouse
- Studio apartment

- o Arch
- o Balconet
- Baluster
- Belt course
- o Bressummer
- Ceiling
- Chimney
- Colonnade / Portico
- o Column
- Cornice / Eaves
- o Dome
- o Door
- o Ell
- Floor
- Foundation
- o Gable
- Gate

- o Portal
- Lighting
- Molding
- Ornament
- Plumbing
- o Quoins
- o Roof
 - o shingles
- Roof lantern
- o Sill plate
- Style
 - list

Architectural elements

- o Backyard
- Driveway
- Front yard
- Garden

Related

- o roof garden
- Home
- Home improvement
- o Home repair
- Shed
- o Tree house
- o **Category: Rooms**

Authority control databases Image not found or type unknown Edit this at Wikidata

- Germany
- United States
- France
- BnF data

National

- Japan
- o Czech Republic
- Spain
- Israel

Other

NARA

About Torsion spring

A torsion spring is a spring that works by twisting its end along its axis; that is, a versatile elastic item that shops mechanical energy when it is turned. When it is twisted, it puts in a torque in the contrary direction, symmetrical to the quantity (angle) it is twisted. There are different types: A torsion bar is a straight bar of steel or rubber that undergoes twisting (shear stress) concerning its axis by torque applied at its ends. An even more fragile kind used in delicate tools, called a torsion fiber contains a fiber of silk, glass, or quartz under stress, that is turned concerning its axis. A helical torsion springtime, is a metal rod or cord in the form of a helix (coil) that undergoes turning concerning the axis of the coil by sideways forces (flexing moments) related to its ends, turning the coil tighter. Clocks make use of a spiral wound torsion springtime (a type of helical torsion spring where the coils are around each other as opposed to piled up) often called a "clock spring" or informally called a mainspring. Those sorts of torsion springs are likewise utilized for attic stairways, clutches, typewriters and various other gadgets that require near consistent torque for large angles and even several changes.

About Lake County

Driving Directions in Lake County

Driving Directions From 41.445043434963, -87.394408610162 to

Driving Directions From 41.39710694063, -87.358163979883 to

Driving Directions From 41.453568220733, -87.320568421442 to

Driving Directions From 41.356097695664, -87.329803965896 to

Driving Directions From 41.391735468419, -87.318200587644 to

Driving Directions From 41.406655792993, -87.400063877482 to

Driving Directions From 41.426719062673, -87.398431540847 to

Driving Directions From 41.45757046873, -87.295678961968 to

Driving Directions From 41.439374552857, -87.262774967382 to

https://www.google.com/maps/place//@41.428981281465,-87.421575428085,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.489534666517,-87.356358267724,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.434455207201,-87.374629154765,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.439374552857,-87.262774967382,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.41522052163,-87.269533690768,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.431991051428,-87.359238832683,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.356097695664,-87.329803965896,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F

https://www.google.com/maps/place//@41.420208394484,-87.320619268641,25.2z/data=!4m6!3m5!1sTraceback (most recent call

```
last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F
```

```
https://www.google.com/maps/place//@41.366510327857,-
87.3408646,25.2z/data=!4m6!3m5!1sTraceback (most recent call
last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F
```

```
https://www.google.com/maps/place//@41.440018024778,-
87.373115367184,25.2z/data=!4m6!3m5!1sTraceback (most recent call last):!8m2!3d41.4237151!4d-87.34086459999999!16s%2F
```

```
https://www.google.com/maps/dir/?api=1&origin=41.47121018041,-
87.3408646&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C+USA
```

```
https://www.google.com/maps/dir/?api=1&origin=41.412041692529,-
87.359412024381&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C-
```

```
https://www.google.com/maps/dir/?api=1&origin=41.426033638419,-
87.385247280641&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C
```

```
https://www.google.com/maps/dir/?api=1&origin=41.428981281465,-
87.421575428085&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C
```

```
https://www.google.com/maps/dir/?api=1&origin=41.491155220534,-
87.366682315268&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C
```

```
https://www.google.com/maps/dir/?api=1&origin=41.437329706338,-
87.355571739437&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C+
```

https://www.google.com/maps/dir/?api=1&origin=41.402860006681,-87.409614131628&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C+

https://www.google.com/maps/dir/?api=1&origin=41.443437503917,-

87.311638642998&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C+

https://www.google.com/maps/dir/?api=1&origin=41.426719062673,-

87.398431540847&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C

https://www.google.com/maps/dir/?api=1&origin=41.464017803461,-

87.391030671608&destination=%2C+1305+Erie+Ct%2C+Crown+Point%2C+IN+46307%2C+

Higgins Overhead Door

Phone: +12196632231

Email: sales@higginsoverheaddoor.com

City: Crown Point

State: IN

Zip: 46307

Address: 1305 Erie Ct

Company Website: https://www.higginsoverheaddoor.com/

Garage Door Repair
TResidential Garage Door
Sitemap
Privacy Policy
About Us
Connect
Follow us